



Softball & Cricket Equipment |



Cricket Cage Ground Socket System

Cage:

The cricket cage is made from aluminium. The post dimension is 80 x 80 x 3 m with rounded edges. The cage can be installed free stand and in ground sockets. All screws are made from stainless steel.

Net:

The net for the cricket cage is made from knotless high tenacity polypropylene (PP). It measures a thickness of 3mm and a mesh width of 45mm. This net can withstand loads up to 1.25 KN. It weighs approximately 150grams/sqm. The net is UV protected to make it suitable for outdoor usage.


Order No. 170001



*Subject to technical alterations



Cricket Cage Ground Socket



Double Cricket Cage Ground Socket

*Subject to technical alterations



Mobile Softball Cage

The mobile softball cage is made from aluminium. Dimension 8.00 x 4.00 m. The netting is available in in different colours. The net is made from polypropylene thickness 3 mm, mesh 45 mm. The Cage is easy to be moved and the turning wheels enable to store in any direction.

Order No. 170080




*Subject to technical alterations



Cricket Netting Fixed System

The cricket netting fixed system is designed to permanently separate the cricket lanes from each other. Typically, the lanes measures 32 m in length and 3 m in width. The sight screens are incorporated to shield the batsman from distractions and to enhance the vision of the ball.

Order No. 170190



Cricket Netting System with Guide Rail

The cricket netting system with guide rail is designed to temporarily separate the cricket lanes. Typically, the lanes measures 32 m in length and 3 m in width. The sight screens are incorporated to shield the batsman from distractions and to enhance the vision of the ball. The system is equipped with an extra sturdy aluminium guide rail. The rail allows a comfortable handling of the nets.

Order No. 170200




*Subject to technical alterations



Cricket Boundary Rope

The cricket boundary rope is made from polypropylene (PP) The rope is white in color and measures a total length of 220 m. The boundary rope is available in various thickness

Order No. 170500	Thickness 20 mm
Order No. 170510	Thickness 24 mm
Order No. 170520	Thickness 28mm
Order No. 170530	Thickness 32 mm



*Subject to technical alterations

