



| Handball



Handball Goal Post

The handball goal post is made from special aluminium profiles. The cross section of the goal frame measures 80x80 mm. The inner dimension of the goal are 300x200 cm. The front frame is painted in two coloured stripes. At this goal the front frame is detachable. This allows the goal post to be transported in smaller packages. The bar frame and the net supporters are fixed to the front frame by stainless steel screws. It is equipped with the INTERLOCK net hook system, which ensures that the nets hangs perfectly. The coloured stripes can be chosen in three different options (blue/ white, red/ white and black/ white).

Order No	Colours	Upper Projection
70003	Black White	1.25 M
70010	Red White	1.25 M
70011	Blue White	1.25 M
70020	Red White	1.40 M
70021	Blue White	1.40 M
70023	Black White	1.40 M

*Subject to technical alterations



Foldable Handball Goal Post


The handball goal foldable post is made from special aluminium profiles. The cross section of the goal frame measures 80x80 mm. The inner dimension of the goal are 300x200 cm. The front frame is painted in two coloured stripes. At this goal the front frame is detachable. This allows the goal post to be transported in smaller packages.

The bar frame and the net supporters are fixed to the front frame by stainless steel screws. It is equipped with the INTERLOCK net hook system, which ensures that the nets hangs perfectly. The coloured stripes can be chosen in three different options (blue/white, red/white and black/white). This goal is foldable. Therefore, the projection part can be folded inside and upwards to minimize the required storage area.

Order No	Colours	Upper Projection
70000-FD	Red White	1.25 M
70011-FD	Blue White	1.25 M
70003-FD	Black White	1.25 M
70020-FD	Red White	1.40 M
70021-FD	Blue White	1.40 M
70023-FD	Black White	1.40 M



*Subject to technical alterations



Handball Goal Post Net

The handball goal net is made from knotless high tenacity PP. It measures 3 m width and 2 m in height. The projection is 80 cm on top and 100 cm at the bottom. The mesh width is 100 mm. The net stands out because of its high mesh rigidity and high energy absorption. It can be fixed easily due to its light weight and flexibility. At the same time the net is also very abrasion resistant. The net fulfils the requirements of DIN EN 749. The net is available in assorted colours and thicknesses.


Order No	Colour	Thickness
70220	White	3 mm
70230	Black	3 mm
70240	Green	3 mm
70250	White	4 mm
70260	Black	4 mm
70270	Green	4 mm
70280	White	5 mm
70290	Green	5 mm
70300	Blue	5 mm
70310	Red	5 mm
70320	Yellow	5 mm

*Subject to technical alterations


Adapter for Handball Goals


The adapter for ground socket is made from aluminium. One side of the adapter fits the ground socket, whereas the other side fits into the handball goal post. The adapter is used to fix free standing goals into ground sockets.

Order No. 70080


Standard Ground Socket for Handball

The standard ground socket for handball is made from aluminium. The socket is designed to match the square hollow profile 80x80 of the handball goal post. The depth of this socket is 350 mm. The cover for this socket cannot be coated.

Order No. 70070


Ground Socket Cover for Sprung Floor

The ground socket cover is made from a special aluminium profile. It is equipped with a special cover, which can be locked. The cover can be installed 100 % flush with the surrounding surface. It is installed in the ground to slot in the handball goal post. The ground socket matches the handball goal post exactly.

Order No. 70155


Floor plate with Hand Screw

The floor plate is made from stainless steel. It is used to fix the goal post to the floor. The plate can be installed after the flooring is done.

Order No. 70180

The safety screw is made from two parts: the screw and the handle. The handle is made from aluminium, whereas the screw is made from stainless steel. It is used to fix the goal post to the floor plate.

Order No. 70190


Special Ground Socket

The special ground socket handball is made from aluminium. The socket is designed to match the square hollow profile 80x80 of the handball goal post. The depth of this socket is 350 mm. The cover for this socket can be coated with the surrounding material.

Order No. 70150

*Subject to technical alterations

'Flap Down Net System'




The 'flap down' net suspension system is a fully integrated and closed system. This means, all suspension parts are placed inside the goal post profile. The slot for the net suspension is covered to allow a smooth and safe appearance of the goal post.

Therefore, there are no sharp edges or corners at the goal post, which can cause harm to players. The suspension is realized by an aluminium profile, which holds the nets in place. The profile is designed to leave space for the net to be fixed perfectly. The whole system is covered with a flap. The flap is mounted, so it can open and close like a door. The flap can be locked to secure the net in the position. The design is registered of patent in Malaysia and Germany.



Integrated net hook system



Upgrade to FLAP DOWN NET HOOK System for Handball Goal Post.

Order No. 70025

*Subject to technical alterations

