




# ATHLETICS

High Jump & Pole Vault







### Aluminium Crossbar Placer ECO

The aluminium crossbar placer 'ECO' is made from aluminium. It consists of a two placers for 3 and 5 m. Therefore, the crossbar can be replaced easily at any height.

**Order No. 20110**



### Telescopic Crossbar Placer

The telescopic crossbar placer is made from anodized aluminium. The length of the placers can be adjusted from 2.7 to 5.0 m. They are equipped with a special twist to block ring, which locks the length at any position. Therefore, the crossbar can be replaced easily at any height.

**Order No. 20111**

\*Subject to technical alterations



### Competition Cross Bar

Competition Cross bar for high jump and pole vault. With plastic ends. Length 4.0 m for High Jump.

**Order No. 20350**

The crossbar fiberglass is made from fiberglass. It measures a length of 4.50 m.

**Order No. 20130**



### Zacharias Crossbar Super Windproof

The 'Zacharias' crossbar is made from vinyl tubes and rubber cables. The rubber cables are fixed on both ends to fix the crossbar to the stands. The centre piece is inflatable. The crossbar does not vibrate during winds. It is clearly visible as any competition crossbar and can expand more than 1 m. It will bounce back in the starting position easily.

- Perfect visibility (like a competition crossbar)
- Expands more than 1 m, and bounces back
- Harmless
- Does not break or cause the posts to fall
- Inflatable (type: "SUPER WINDPROOF") for increased stability in wind

**Order No. 20330**

\*Subject to technical alterations





### Pole Vault Mat For Competition

The pole vault mat is made from a PU foam. The mat measures 8x6x0.9m. The foam is covered in a weatherproof material. On top of the mat there is an additional wear and tear layer. This layer is equipped with a spike proof material. The mat itself is designed in a hollow chamber system to ensure a high elasticity and smooth air circulation. The mat also comes with a fully aluminium bar frame. It raises the mat by 10 cm to make sure it is not exposed to water.

**Order No. 20080**



### Pole Vault Mat For Training

The pole vault mat is made from a PU foam. The mat measures 6.5x5x0.9m. The foam is covered in a weatherproof material. On top of the mat there is an additional wear and tear layer. This layer is equipped with a spike proof material. The mat also comes with a fully aluminium bar frame. It raises the mat by 10cm to make sure it is not exposed to water.

**Order No. 20060**

\*Subject to technical alterations



### Pole Vault Rain Cover

The pole vault rain cover is made from water proof PVC. It prevents the mat from getting wet during rain or watering. It is available in different sizes.

**Order No. 20090** (650 x 500 x 90cm)

**Order No. 20100** (800 x 600 x 90cm)



### Pole Vault Box

The pole vault box is made from stainless steel. The part towards the mat is further reinforced to cater to the loads applied from the pole. Additionally, the box is equipped with a drainage system, which ensures the water to run off after rain or watering. The box is shaped trapezoidal.

**Order No. 20290**



### Cover For Pole Vault Box


The cover for pole vault box is made from aluminium. It exactly matches the box. It closes the box, when not in use. This is especially necessary, when it is part of the run way for the opposite pole vault facility. The cover is delivered without rubber and can be coated on site.

**Order No. 20310**



\*Subject to technical alterations





### Pole Vault Upright

The pole vault uprights are made from high grade aluminium profiles. They are designed for the guide rails. The robust construction guarantees ease of handling and stability. The height of the crossbar can be adjusted from 1.8 to 6.5m. The complete mechanism of the height adjustment is placed inside the posts. The height can be adjusted seamlessly. The uprights can be fixed in position with a brake. The final adjustment of the height can be done on site.

Order No. 20010



### Guide Rail For Pole Vault

The guide rail for pole vault is made from extra strong aluminium profiles. The rail is used for the free standing pole vault uprights. The rail allows an easy positioning of the uprights. The rail needs to be fixed with ground anchors or additional weights.

Order No. 20040



### Ground Anchor For Pole Vault

The ground anchor is made from aluminium. The anchors are placed inside the ground. They allow an easy fixing of the guide rail on to the floor. One set consists of eight ground anchors.

Order No. 20030

\*Subject to technical alterations



### Pole Vault Bar Frame

Aluminium bar frame for pole vault mats, manufactured completely from aluminium. The aluminium bar frame serves as the perfect base for pole vault mats. The aluminium bar frame can help to stop the mat from sagging and at the same time ensure that the mat is sufficiently ventilated from below. The aluminium bar frame is absolutely essential for facilities which have to be assembled and taken apart.

**Order No. 20200** Size: 8.00 x 6.00 m

**Order No. 20210** Size: 6.5 x 5.00 m




### High Jump Bar Frame

Aluminium bar frame for high jump mats, manufactured completely from aluminium. The aluminium bar frame serves as the perfect base for high jump mats. The aluminium bar frame can help to stop the mat from sagging and at the same time ensure that the mat is sufficiently ventilated from below. The aluminium bar frame is absolutely essential for facilities which have to be assembled and taken apart.

Order No	Size (cm)
20520	300 x 400
20530	300 x 500
20540	600 x 300
20550	600 x 400

\*Subject to technical alterations





### High Jump Bare Frame MOBILE

Aluminium bar frame for high jump mats, manufactured completely from aluminium. The aluminium bar frame serves as the perfect base for high jump mats. The aluminium bar frame can help to stop the mat from sagging and at the same time ensure that the mat is sufficiently ventilated from below. The aluminium bar frame is absolutely essential for facilities which have to be assembled and taken apart regularly. If necessary the wheels for the mobile version can be put on and taken off quickly, easily and conveniently.

**Order No. 20521** Dimension 4 x 3 m

**Order No. 20531** Dimension 5 x 3 m

**Order No. 20541** Dimension 6 x 3 m

**Order No. 20551** Dimension 6 x 4 m

### High Jump Rain Cover

The high jump rain cover is made from water proof PVC. It prevents the mat from getting wet during rain or watering. It is available in different sizes.

Order No	Size (cm)
20470	400 x 300 x 60
20480	500 x 300 x 60
20490	600 x 300 x 60
20500	600 x 400 x 60




\*Subject to technical alterations



### High Jump Mat

The high jump mat consists of a PU foam core and a PVC cover. The PVC cover is equipped with a spike proof surface on the top of the mat. It is rectangular shaped. The mat also includes an aluminium bar frame. The mat's purpose is to ensure a safe landing at the high jump. The item is available in different sizes.

Order No	Size (cm)	Intermediate Layer
20370	600 x 300 x 60	No
20380	600 x 400 x 70	No
20400	600 x 400 x 70	Yes 
20430	500 x 300 x 60	Yes
20440	400 x 300 x 60	Yes
20450	400x 300 x 50	Yes
20460	400 x 300 x 60	Yes



\*Subject to technical alterations






### Mobile Aluminium Safety Cover

The safety cover for high jump and pole vault landing mat is made from extra strong aluminium profiles. The internal frame work is constructed in a way to ensure that the cover can withstand the highest demands. The top surface of the cover is slightly sloped to prevent access water stays on top. The aluminium structure is much lighter than common covers. All parts of the cover are equipped with handles to allow an easy manoeuvring. The wheels of the cover are 200 mm in diameter. The number of wheels prevents the cover from leaving marks on the track. Additionally the item is also supplied with a parking rail.

- Order No. 24000** Size: 8.00 x 6.00 m
- Order No. 24010** Size: 4.00 x 3.00 m
- Order No. 24020** Size: 5.00 x 3.00 m
- Order No. 24030** Size: 5.00 x 4.00 m
- Order No. 24040** Size: 6.00 x 4.00 m



\*Subject to technical alterations



### High Jump Stands Length 3.00 m

Manufactured completely from high-grade aluminium profiles. Made from a profile with the dimensions 50 x 50 x 3 mm and with rounded edges.

The bar holders and uprights are completely anodised. The measuring scale is inserted in the profile (in a groove) and so protected from scratches even when the height is being regularly adjusted. All the screws are made of stainless steel. The height can be adjusted from 50 to 300 cm.

**Order No. 20560**



### High Jump Uprights Length 2.50 m

Made from high-grade aluminium profiles. Made from a profile with the dimensions 50 x 50 x 3 mm and with rounded edges.

The measuring scale is inserted in the profile (in a groove) and so protected from scratches even when the height is being regularly adjusted.

All the screws are made of stainless steel. The height can be adjusted from 50 to 250 cm.

**Order No. 20510**







### Rack for Poles

The rack for poles is made from aluminium. It provides storage space for vaulting poles. It is free standing and can be moved easily. The frame is powder coated and assorted colours are available.


**Order No. 20590**



### Run Up Marker

The run up marker is made from stainless steel. It is used to mark the begin of the run up of the athlete. The marker is available in different colours.

**Order No. 11410** 50m  
**Order No. 11411** 100m



\*Subject to technical alterations

## Height Measuring Stick

### High Jump Height Measurement Device

The height measuring stick for high jump is made from aluminium. It is telescopic and can measure heights from 0.85 to 3.0 m. It is equipped with a spirit level. The height is displayed in a display window.

Order No. 20250

### Pole Vault Height Measurement Device

The height measuring stick for pole vault is made from aluminium. It is telescopic and can measure heights from 1.7 to 8.0 m. It is equipped with a spirit level. The height is displayed in a display window.

Order No.20260



\*Subject to technical alterations





### Carbon Mystic Vaulting Pole

Designed for the smaller advanced vaulter, the Carbon Mystic pole incorporates the same state of the art technology as the CarbonFX pole, but with a smaller grip diameter. Utilize the market's lightest carry weight today to achieve higher bars!

#### THE LIGHTEST CARRY WEIGHT YOU HAVE TO FEEL THE DIFFERENCE TO BELIEVE!

The fastest runway speeds are achieved with the CarbonFX pole. Combining new stronger carbon material and minimal s-glass allows the CarbonFX to be 15% lighter than traditional s-glass poles.

#### SYNCHRONIZATION

The CarbonFX design gives vaulters a more forgiving pole at take-off. Designed to roll to vertical more efficiently, the CarbonFX provides the vaulter with an easier synchronization to the unbending of the pole during the later stages of the vault.

#### SCIENTIFICALLY-BASED POLE TRANSITIONS

All weights and lengths have been Best-Flex engineered and calibrated to provide the most scientifically tested and accurate pole progressions possible. With the CarbonFX, going from one pole to the next has never been smoother or easier.

Additional sizes available.

Vaulting poles are not guaranteed against breakage. Inspect vaulting poles for visible and concealed damage before accepting delivery.



### Pacer Mystic Vaulting Pole

Engineered for the female vaulter, the Pacer Mystic features a small grip diameter and a sail piece to accommodate the needs of smaller vaulters. New, stronger S-type fiberglass construction is now 10% lighter than previous Mystic poles.

Vaulting poles are not guaranteed against breakage. Inspect vaulting poles for visible and concealed damage before accepting delivery.

**Pacer Mystic**

Order No	Length (m)	Test Weight (kg)	Order No	Length (m)	Test Weight (kg)
42500	3.10	32	43890	3.75	45
42510	3.10	41	43900	3.75	48
42520	3.10	50	43910	3.75	50
42530	3.10	59	43920	3.75	52
			43930	3.75	54
43540	3.25	36	43940	3.75	57
43550	3.25	41	43950	3.75	59
43560	3.25	45	43960	3.75	61
43570	3.25	50	43970	3.75	64
43580	3.25	54	43980	3.75	66
43590	3.25	59	43990	3.75	68
43600	3.25	64	44000	3.75	70
			44100	3.75	73
43610	3.35	36	44020	4.00	50
43620	3.35	41	44030	4.00	52
43630	3.35	45	44040	4.00	54
43640	3.35	50	44050	4.00	57
43650	3.35	54	44060	4.00	59
43660	3.35	59	44070	4.00	61
43670	3.35	64	44080	4.00	64
43680	3.35	68	44090	4.00	66
			44100	4.00	68
43690	3.50	41	44110	4.00	70
43700	3.50	45	44120	4.00	73
43710	3.50	50			
43720	3.50	54			
43730	3.50	59			
43740	3.50	64			
43750	3.50	68			
43760	3.60	41			
43770	3.60	43			
43780	3.60	45			
43790	3.60	48			
43800	3.60	50			
43810	3.60	52			
43820	3.60	54			
43830	3.60	57			
43840	3.60	59			
43850	3.60	61			
43860	3.60	64			
43870	3.60	66			
43880	3.60	68			

\*Subject to technical alterations

**Pacer FX Pole**

Order No	Length (m)	Test Weight (kg)	Order No	Length (m)	Test Weight (kg)	Order No	Length (m)	Test Weight (kg)
41500	3.50	41	41970	4.25	57	42430	4.90	73
41510	3.50	45	41980	4.25	59	42440	4.90	75
41520	3.50	50	41990	4.25	61	42450	4.90	77
41530	3.50	54	42000	4.25	64	42460	4.90	79
41540	3.50	59	42010	4.25	66	42470	4.90	82
41550	3.50	64	42020	4.25	68	42480	4.90	84
			42030	4.25	70	42490	4.90	86
41560	3.60	41	42040	4.25	73	42500	4.90	88
41570	3.60	45	42050	4.25	75	42510	4.90	90
41580	3.60	50	42060	4.25	77			
41590	3.60	54	42070	4.25	79	42520	5.00	73
41600	3.60	59	42080	4.25	82	42530	5.00	75
41510	3.60	64				42540	5.00	77
						42550	5.00	79
41620	3.75	45	42090	4.40	59	42560	5.00	82
41630	3.75	48	42100	4.40	61	42570	5.00	84
41640	3.75	50	42110	4.40	64	42580	5.00	86
41650	3.75	52	42120	4.40	66	42590	5.00	88
41660	3.75	54	42130	4.40	68	42600	5.00	90
41670	3.75	57	42140	4.40	70			
41680	3.75	59	42150	4.40	73			
41690	3.75	61	42160	4.40	75	42610	5.10	84
41700	3.75	64	42170	4.40	77	42620	5.10	86
41710	3.75	66	42180	4.40	79	42630	5.10	88
41720	3.75	68	42190	4.40	82	42640	5.10	90
41730	3.75	70	42200	4.40	84	42650	5.10	93
41740	4.00	50	42210	4.60	57			
41750	4.00	52	42220	4.60	59			
41760	4.00	54	42230	4.60	61			
41770	4.00	57	42240	4.60	64			
41780	4.00	59	42250	4.60	66			
41790	4.00	61	42260	4.60	68			
41800	4.00	64	42270	4.60	70			
41810	4.00	66	42280	4.60	73			
41820	4.00	68	42290	4.60	75			
41830	4.00	70	42300	4.60	77			
41840	4.00	73	42310	4.60	79			
			42320	4.60	82			
41850	4.15	54						
41860	4.15	57	42330	4.70	68			
41870	4.15	59	42340	4.70	70			
41880	4.15	61	42350	4.70	73			
41890	4.15	64	42360	4.70	75			
41900	4.15	66	42370	4.70	77			
41910	4.15	68	42380	4.70	79			
41920	4.15	70	42390	4.70	82			
41930	4.15	73	42400	4.70	84			
41940	4.15	75	42410	4.70	86			
41950	4.15	77	42420	4.70	88			
41960	4.15	79						

\*Subject to technical alterations





Carbon FX Pole		
Order No	Length (m)	Test Weight (kg)
41010	4.60	64
41020	4.60	66
41030	4.60	68
41040	4.60	70
41050	4.60	73
41060	4.60	75
41070	4.60	77
41080	4.60	79
41090	4.60	82
41100	4.60	84
41110	4.60	86
41120	4.70	68
41130	4.70	70
41140	4.70	73
41150	4.70	75
41160	4.70	77
41170	4.70	79
41180	4.70	82
41190	4.70	84
41200	4.70	86
41210	4.70	88
41230	4.90	73
41240	4.90	75
41250	4.90	77
41260	4.90	79
41270	4.90	82
41280	4.90	84
41290	4.90	86
41300	4.90	88
41310	4.90	90
41320	5.00	77
41330	5.00	79
41340	5.00	82
41350	5.00	84
41360	5.00	86
41370	5.00	88
41380	5.00	90
41390	5.00	93
41400	5.00	95
41410	5.10	84
41420	5.10	86
41430	5.10	88
41440	5.10	90
41450	5.10	93
41460	5.10	95

Carbon Mystic		
Order No	Length (m)	Test Weight (kg)
43000	4.00	54
43010	4.00	57
43020	4.00	59
43030	4.00	61
43040	4.00	64
43050	4.00	66
43060	4.00	68
43070	4.00	70
43080	4.00	73
43090	4.15	57
43100	4.15	59
43110	4.15	61
43120	4.15	64
43130	4.15	66
43140	4.15	68
43150	4.15	70
43160	4.15	73
43170	4.15	75
43180	4.15	77
43190	4.25	59
43200	4.25	61
43210	4.25	64
43220	4.25	66
43230	4.25	68
43240	4.25	70
43250	4.25	73
43260	4.25	75
43270	4.25	77
43280	4.25	79
43290	4.25	82
43300	4.40	61
43310	4.40	64
43320	4.40	66
43330	4.40	68
43340	4.40	70
43350	4.40	73
43360	4.40	75
43370	4.40	77
43380	4.40	79
43390	4.40	82

\*Subject to technical alterations



### Carbon FX Vaulting Pole

Designed for the advanced vaulter, the Pacer CarbonFX pole incorporates the latest carbon material to produce the world's lightest and strongest vaulting pole. Lighter poles equal faster runway speeds. Put more speed in your vault today!

#### **THE LIGHTEST CARRY WEIGHT YOU HAVE TO FEEL THE DIFFERENCE TO BELIEVE!**

The fastest runway speeds are achieved with the CarbonFX pole. Combining new stronger carbon material and minimal s-glass allows the CarbonFX to be 15% lighter than traditional s-glass poles.

#### **SYNCHRONIZATION**

The CarbonFX design gives vaulters a more forgiving pole at take-off. Designed to roll to vertical more efficiently, the CarbonFX provides the vaulter with an easier synchronization to the unbending of the pole during the later stages of the vault.

#### **SCIENTIFICALLY-BASED POLE TRANSITIONS**

All weights and lengths have been Best-Flex engineered and calibrated to provide the most scientifically tested and accurate pole progressions possible. With the CarbonFX going from one pole to the next has never been smoother or easier.

Additional sizes available.

Vaulting poles are not guaranteed against breakage. Inspect vaulting poles for visible and concealed damage before accepting delivery.



### Pacer FX Vaulting Pole

The PacerFX features the same construction and performance characteristics as the CarbonFX but without the carbon fiber. Stronger S-type fiberglass construction is 10% lighter than previous Pacer poles.

#### **LIGHTER CARRY WEIGHT**

Lightest carry weight of any fiberglass pole ever made.

#### **SYNCHRONIZATION**

Our new FX series vaulting poles are the result of four years of testing and analysis at our research centers. FX series vaulting poles are designed to roll to vertical more efficiently, and provide the vaulter with an easier synchronization to the unbending of the pole during the later stages of the vault.

#### **SCIENTIFICALLY-BASED POLE TRANSITIONS**

All weights and lengths have been Best-Flex engineered and calibrated to provide the most scientifically tested and accurate pole progressions possible. With the FX going from one pole to the next has never been smoother or easier.

Additional sizes available.

Vaulting poles are not guaranteed against breakage. Inspect vaulting poles for visible and concealed damage before accepting delivery.

\*Subject to technical alterations