

Basketball



Basketball Single Post System

The basketball single post is made from special aluminium profiles. The structure is supported by one post in the ground. The post measures a cross section of 120 x 100 mm. The wall thickness rises from four to six mm. The item also includes a backboard. The backboard measures 180x105 cm. There are three types of backboard available: aluminium, acrylic and tempered glass. The aluminium backboard is made from special aluminium profiles. The backboard is white powder coated. The acrylic backboard is made from see through 15 mm thick acrylic. The tempered glass is made from 12 mm thick glass panel. All corners are covered for safety reasons. The basketball single post is also equipped with a non-foldable basketball ring and net. The ring measures an inside diameter of 45 cm. The ring is galvanized and orange powder coated. The net is made from nylon and measures a thickness of 6 mm. The item is available in a fully welded version and in a dismantle version for export.

8 years warranty.

Order No.

100190 Basketball single-post Projection 1.65 m

100180 Basketball single-post Projection 1.25 m

1002170 Basketball single-post Projection 1.65 m

100155 Padding for Basketball Double & Single Post (available in different colours)

100460 Standard Ground Socket for Basketball Single Post Aluminium

100470 Special Ground Socket for Basketball Single Post with coat able cover



Basketball Double Post System

The basketball single post is made from special aluminium profiles. The structure is supported by two posts in the ground. The post measures a cross section of 120 x 100 mm. The wall thickness rises from four to six mm. The item also includes a backboard. The backboard measures 180x105 cm. There are three types of backboard available: aluminium, acrylic and tempered glass. The aluminium backboard is made from special aluminium profiles. The backboard is white powder coated. The acrylic backboard is made from see through 15 mm thick acrylic. The tempered glass is made from 12 mm thick glass panel. All corners are covered for safety reasons. The basketball single post is also equipped with a non-foldable basketball ring and net. The ring measures an inside diameter of 45 cm. The ring is galvanized and orange powder coated. The net is made from nylon and measures a thickness of 6 mm. The item is available in a fully welded version and in a dismantle version for export.

100210 Basketball double-post Projection 0.90 m. With aluminium backboard

100220 Basketball double-post Projection 1.25 m. With aluminium backboard

100230 Basketball double-post Projection 1.65 m. With aluminium backboard

100240 Basketball double-post Projection 2.25 m. With aluminium backboard

100212 Basketball double-post Projection 0.90 m. With 15 mm acrylic backboard

100222 Basketball double-post Projection 1.25 m. With 15 mm acrylic backboard

100232 Basketball double-post Projection 1.65 m. With 15 mm acrylic backboard

100242 Basketball double-post Projection 2.25 m. With 15 mm acrylic backboard


100155 Padding for Basketball Double & Single Post (available in different colours)

100480 Standard Ground Socket for Basketball Double Post Aluminium


100490 Special Ground Socket for Basketball Double Post with coat able cover

100246 Foldable systems for basketball double post to one side.

100245. Height adjustable systems for basketball single & double post



Order No. 100480



Order No. 100490

Height Adjustment

Order No. 100245

The height adjustment system is made from aluminium. The structure is made from aluminium. The lead screw for the adjustment is made from stainless steel. The screw is supported by two round tubes to distribute the load evenly. The height can be adjusted from 2.5 to 3.05 m. It is adjusted with a crank, which is included in the delivery.

Basketball Padding Single Post

Order No. 100510

The basketball single post padding is made from a foam core and a PVC cover. The padding measures a height of 2.0 m and a thickness of 50 mm. The padding is designed in such a manner that matches the post. The PVC is weather resistant.





100250: with aluminium backboard



100251: with acrylic backboard 180 x 105 cm


The basketball post mobile is made from aluminium. The structure is made from rectangular hollow profiles, which measure 80x60x3 mm. The basketball post measures a projection of 1.65 m. The post is equipped with a box to store 300 kg of counterweight. The structure is mounted on six piece of 200 mm nylon wheels. The wheels allow that the structure can be moved by a single person. Every purchased pair of basketball post mobile is equipped with one transport pulley. If the system must be moved through a low area the backboard can be flapped down easily. The aluminium backboard is made from special aluminium profiles. The backboard is white powder coated. The basketball post mobile outdoor is also equipped with a non-foldable basketball ring and net. The ring measures an inside diameter of 45 cm. The ring is galvanized and orange powder coated. The net is made from nylon and measures a thickness of 6 mm. The item is available in a fully welded version and in a dismantle version for export.

100261: Lifting roller. The lifting roller for basketball mobile is made from aluminium. It is used to move the basketball mobile version around easily. It is equipped with two wheels to lift the backstop up and move it around on its wheels.



Order No. 100270

The basketball padding is made from a foam core and a PVC cover on an aluminium structure. The aluminium structure can be hooked on the mobile basketball post. The padding measures a height of 2.0 m and a width of 1.2 m. It has thickness of 50 mm.





Delate Glass



Tempered Safety Glass

Acrylic board

The acrylic backboard is made from acrylic material. It measures a thickness of 15 mm. It is fixed to an aluminium frame. The backboard is see through. The lines are white in colour. The mounting part for the ring is cut out, to ensure a long lifetime of the backboard. The backboard is 1.8 m wide and 1.05 m high. Other sizes are available on request.

100060: Basketball backboard, made by acrylic. 120 x 90 cm.

100070: Basketball backboard, made by acrylic. 180 x 105 cm.

100080: Basketball backboard, made by acrylic. 180 x 120 cm.

Tempered Safety Glass

The tempered glass backboard is made from tempered glass. It measures a thickness of 12 mm. It is fixed to an aluminium frame. The backboard is see through. The lines are white in colour. The mounting part for the ring is cut out, to ensure a long lifetime of the backboard. The backboard is 1.8 m wide and 1.05 m high.

100051: Frame

100100: Backboard pad. Made from PE foam. The pads are designed for 180 cm backboards



Aluminium Backboard

The aluminium backboard is made from a special aluminium profile. It measures a thickness of 25 mm. The backboard is white coated. The lines are black in colour. This backboard is highly recommended for outdoor usage. It can withstand any weather conditions for a long time. The backboard is 1.8 m wide and 1.05 m high. Other sizes are available on request.

100090: Size 180 x 105 cm.

100100: Size 180 x 120 cm



Basketball Double Post System With Safety Glass Backboard

Basketball double-post made of aluminium profiles. Our double-post basketball stand is made with oval aluminium profiles with a cross-section of 120 x 100 mm. The wall thickness of our posts is 4 to 6 mm in the direction of tension. Delivery includes: Backboard 1800 x 1050 x 12 mm single pane safety glass with splinter proof foil, with glass cut-out according to governing FIBA regulations ring made of galvanized & powder coated steel and nylon net .Ground sockets and safety padding not include.

Order No. 100211

Basketball double-post Projection 0.90 m

Order No. 100221

Basketball double-post Projection 1.25 m

Order No. 100231

Basketball double-post Projection 1.65 m

Order No. 100241

Basketball double-post Projection 2.25 m

Order No. 100510

Padding for Basketball Double & Single Post (available in different colours)

Order No. 100480

Standard Ground Socket for Basketball Double Post Aluminium

Order No. 100490

Special Ground Socket for Basketball Double Post with coat able cover PVC covered padding with foam core for basketball posts. UV protected.



Basketball Wall Mounted FOLDABLE TO ONE SIDE (Acrylic / Tempered Glass)

The basketball wall mounted foldable is made from special aluminium profiles. The items consist of five parts: the wall frame, two projection arms, a locking mechanism and the backboard. The wall frame is made from extra strong angle bars to mount the structure to the wall. The mounting equipment is not supplied together with the basketball backstop. The two projection arms are fixed to the wall frame and the backboard via hinges, which allows the structure to be folded away to one side. The arms can be adjusted to the conditions on site. The locking mechanism fixes the structure in the playing position as well as in the folded position. The item is available with three types of backboard. The backboard measures 180x105 cm. There are three types of backboard available: aluminium, acrylic and tempered glass. The aluminium backboard is made from special aluminium profiles. The backboard is white powder coated. The acrylic backboard is made from see through 15 mm thick acrylic. The tempered glass is made from 12 mm thick glass panel. All corners are covered for safety reasons. The basketball single post is also equipped with a non-foldable basketball ring and net. The ring measures an inside diameter of 45 cm. The ring is galvanized and orange powder coated. The net is made from nylon and measures a thickness of 6 mm.

100401: Projection on request

100421: Projection 0.90 m

100411: Projection 3.25 m

100431: Projection 1.65

100401: Projection on request. Acrylic basketball board. Can be folded to one side.

100400: Projection on request. Aluminium basketball board. Can be folded to one side.

100410: Projection 3.25 meters. Aluminium basketball board. Can be folded to one side.

100411: Projection 3.25 meters. acrylic basketball board. Can be folded to one side.

100412: Projection 3.25 meters. safety tempered glass backboard. Can be folded to one side.

100420: Projection 2.25 meters. Aluminium basketball board. Can be folded to one side.

100421: Projection 2.25 meters. acrylic basketball board. Can be folded to one side.

100422: Projection 2.25 meters. safety tempered glass backboard. Can be folded to one side.

100430: Projection 1.65 meters. Aluminium basketball board. Can be folded to one side.

100431: Projection 1.65 meters. acrylic basketball board. Can be folded to one side.

100432: Projection 1.65 meters. safety tempered glass backboard. Can be folded to one side.

100450: Projection 0.90 meters. Aluminium basketball board. Can be folded to one side.

100451: Projection 0.90 meters. acrylic basketball board. Can be folded to one side.

100452: Projection 0.90 meters. safety tempered glass backboard. Can be folded to one side.

100460: Projection on request. Acrylic basketball board. Can be folded to one side.

100465: Height adjustable system for basketball wall mounted and single/double post. Adjustable Height from 2.50 -3.05 m



Basketball Wall Mounted NON - FOLDABLE

Order No.

- 100340: Projection 0.90 m
- 100400: Projection 0.90 m, Height adjustable
- 100350: Projection on request
- 100410: Projection on request, Height adjustable
- 100360: Projection 3.25 m
- 100700: Projection 3.25 m, Height adjustable
- 100370: Projection 2.25 m
- 100380: Projection 2.25 m, Height adjustable
- 100390: Projection 1.65 m, Height adjustable



The basketball wall mounted non-foldable is made from special aluminium profiles. The items consist of four parts: the wall frame, two projection arms and the backboard. The wall frame is made from extra strong angle bars to mount the structure to the wall. The mounting equipment is not supplied together with the basketball backstop. The two projection arms are fixed to the wall frame and the backboard. The arms can be adjusted to the conditions on site. The item is available with three types of backboard. The backboard measures 180x105 cm. There are three types of backboard available: aluminium, acrylic and tempered glass. The aluminium backboard is made from special aluminium profiles. The backboard is white powder coated. The acrylic backboard is made from see through 15 mm thick acrylic. The tempered glass is made from 12 mm thick glass panel. All corners are covered for safety reasons. The basketball single post is also equipped with a non-foldable basketball ring and net. The ring measures an inside diameter of 45 cm. The ring is galvanized and orange powder coated. The net is made from nylon and measures a thickness of 6 mm.

- 100350:** Projection 0.90 m, Aluminium Backboard
 - 100351:** Projection 0.90 m. Acryl backboard
 - 100340:** Projection on request, Aluminium Backboard
 - 100341:** Projection on request, Acryl backboard
 - 100310:** Projection 3.25 m, Aluminium Backboard
 - 100311:** Projection 3.25 m, Acryl backboard
 - 100320:** Projection 2.25 m Aluminium Backboard
 - 100330:** Projection 1.65 Aluminium Backboard
 - 100331:** Projection 1.65 m, Acryl backboard
 - 100310:** Projection 3.25 meters. aluminium basketball board "NON FOLDABLE"
 - 100311:** Projection 3.25 meters. acrylic basketball board "NON FOLDABLE"
 - 100320:** Projection 2.25 meters. aluminium basketball board "NON FOLDABLE"
 - 100321:** Projection 2.25 meters. acrylic basketball board "NON FOLDABLE"
 - 100330:** Projection 1.65 meters. aluminium basketball board. "NON FOLDABLE"
 - 100331:** Projection 1.65 meters. acrylic basketball board "NON FOLDABLE"
 - 100340:** Projection on request. aluminium basketball board "NON FOLDABLE"
 - 100341:** Projection on request. acrylic basketball board. "NON FOLDABLE"
 - 100350:** Projection 0.90 meters. basketball aluminium board "NON FOLDABLE"
 - 100351:** Projection 0.90 meters. basketball board made from acrylic "NON FOLDABLE"
 - 100465:** high adjustable system for basketball wall mountend and post. Adjsuatbel from 2.50 -3.05 m
- On request our backboards are available made from acryl, aluminium & tempered glass.
- 100465;** High adjustable system for basketball wall mounted and single/double post. Adjustable height from 2.50-3.05 m.



Product Code: 100520



Product Code: 100530

Netball Post Mobile. White Color.

Netball Post Mobile Systems. Made from high grade aluminium special profile. Powder coated in white colour. Height adjustable version. The post is attached with a weight of 40 Kg. Included ring and nylon net.

10521: Non height adjustable Version

Conforms to AENA regulations.

The mobile netball upright is made from special aluminium profiles. The post measures a diameter of 80 mm. The ring is manufactured from a 16 mm solid round and measures an inside diameter of 380 mm. The ring is separated from the post. Therefore, the height and the direction of the ring can be adjusted to the condition on site. The ring comes together with a 6 mm thick nylon net. The post is equipped with two non-marking 200 mm TPU wheels. The weight at the back of the post is 40 kg, to ensure the necessary stability.
Aluminium Surface

Order No. 100531
Height Adjustable



Netball Post in Ground Sockets. White Color.

The netball upright in ground sockets is made from a special aluminium profile. The post measures a diameter of 80 mm. The ring is manufactured from a 16 mm solid round and measures an inside diameter of 380 mm. The ring is separated from the post. Therefore, the height and the direction of the ring can be adjusted to the condition on site. The ring comes together with a 6 mm thick nylon net. The post confirms with the regulations of the IFNA.

100560

Netball Post in Ground Sockets.

Made from high grade aluminium special profile.

Aluminium surface. Height adjustable version. Included ring and nylon net.

100551

Netball Post in Ground Sockets.

Made from high grade aluminium special profile. White

Powder coated. Height adjustable version. Included ring and nylon net

Padding

The basketball single post padding is made from a foam core and a PVC cover. The padding measures a height of 2.0 m and a thickness of 50 mm. The padding is designed in such a manner that matches the post. The PVC is weather resistant.



Basketball foldable


Product Code: 100040

The foldable ring is made from hot dip galvanized steel. Its measurements follow the non-foldable ring and FIBA regulations. Additionally, this ring is equipped with a covered spring. The spring allows the ring to fold under pressure of more than 82 kg. The maximum folding position is achieved at a weight of 105 kg.

Basketball ring non foldable

Product Code: 100030

The basketball ring non foldable is made from hot dip galvanized steel. It is orange powder coated. The inside diameter of the ring measures 450 mm. The distance from the inner of the ring to the end of the mounting measures 150 mm. The height of the mounting is 150 mm. The cross section of the ring measures 18 mm. The net is mounted according to FIBA standards. The ring can be fixed to most backboards with four screws easily.



Basketball steel

The net is extra stable. The diameter of the links is 5mm. This kind of netting can stand any kind of weather and is developed especially for the outdoor use.

Product Code :


- 100010 Basketball net hot galvanised**
- 100020 Basketball net stainless-steel Ø 5 mm**



Standard ground socket

Product Code : 100470

The standard ground socket for basketball single post is made from aluminium. The socket is designed to match the oval 120x100 profile of the basketball post. The depth of this socket is 500 mm. The cover for this socket cannot be coated.



Special ground socket

Product Code : 100480

The special ground socket for basketball single post is made from aluminium. The socket is designed to match the oval 120x100 profile of the basketball post. The depth of this socket is 500 mm. The cover for this socket can be coated with the surrounding material.



Standard Ground Socket For Basketball Double Post

Product Code : 100490

The standard ground socket for basketball double post is made from aluminium. The socket is designed to match the oval 120x100 profile of the basketball post. The sockets for both posts are welded together. The ground sockets measure a distance from 500 mm from each other. The depth of this socket is 500 mm. The cover for this socket cannot be coated.



Special Ground Socket For Basketball Double Post

Product Code : 100500

The special ground socket for basketball double post is made from aluminium. The socket is designed to match the oval 120x100 profile of the basketball post. The sockets for both posts are welded together. The ground sockets measure a distance from 500 mm from each other. The depth of this socket is 500 mm. The cover for this socket can be coated with the surrounding material.



Standard ground socket

Product Code: 100561

The standard ground socket for netball is made from aluminium. The socket is designed to match the round profile of the netball post. The depth of this socket is 350 mm.

Mobile floor apparatus

Product Code: 100550

The floor apparatus is made from a special aluminium profile. The floor apparatus is used, where no ground sockets can be installed. Therefore, the floor apparatus is fixed on the ground. The front part fulfils the same function like a ground socket. The three attached screws fix the apparatus to the floor.





Basketball Hydroplay "Club" (OUTDOOR)

Order No. 100130

"HYDROPLAY CLUB" portable basketball system (2 units). Varnished steel structure with projection cm 230. Oleodynamic unit with manual pump allowing movement from rest to play position and vice versa. Telescopic bar applied over the cylinder useful for easy finding and blocking heights corresponding to basket or minibasket standards. Mechanical solution able to keep backboards always perfectly perpendicular at any height. Movement of backstop on the floor obtained by using 4 rubber wheels integrated on the base, automatically raising or lowering accordingly to movement to play or rest positions. Padded counterweight included on the back of the base. Front padding covered with synthetic washable material. Pads covering for 100 cm the main projection arm. Equipped with 12 mm safety tempered glass backboards with pads, reclining rings and nets.

Basketball Competition System

Order No. 100150

COMPETITION BASKETBALL HYDROPLAY ELECTRIC monotubular basketball system, oleodynamic function. Varnished steel tubing structure, hinges and joints fitted onto ballbearings (revolving or anti-friction bearing). Board regulation both in height and perpendicularity. Positioning of movement "PLAY" and "REST" obtained by using the oleodynamic control panel electrically operated (V 3x220/380, Hz 50). Flow regulator supplied to increase or decrease the rising speed or lowering speed of the board. Continuous valve fitted on the cylinder, which blocks the speed at the desired point and ensures the steadiness of the board even in the case of breakage of the fluid pipes. The board remains vertical even at a mini basket height (260 cm). The movement of the whole pylon pole is carried out by the 4 wheels, two of which are fixed and the other two are caster wheels, supplied with the fairing of the system, which rises or lowers automatically when the system does likewise. Total foam protection covered with synthetic washable material, thickness 15 cm. Ballast load included along with the command switch. Tempered glass boards, safety, 12 mm, with inferior edge protected with a special foam tubed material. Reclining baskets and netting of heavy cotton. The complete system consists in 2 pylon poles of approx 1050 kg each. The system is supplied as follows: 2 pylon poles; tempered security boards 12 mm; reclining baskets, homologated; ballasting included. Projection 330 cm. Space required for positioning cm 425. Equipped with back plates for floor anchoring. Dimensions when the pylon pole is closed: 410x185x170 cm. The system has been approved by the F.I.B.A. for international competitions. Supplied with CE Manual of Use and Maintenance.





Basketball Competition System (Manual)

Order No.100140

COMPETITION BASKETBALL" MANUAL monotubular basketball system. Varnished steel tubing structure, hinges and joints fitted onto ballbearings (revolving or anti friction bearing). Board regulation both in height and perpendicularity. Positioning of movement "PLAY" and "REST" obtained by using the oleodynamic control panel manual pump. Flow regulator supplied to increase or decrease the rising speed or lowering speed of the board. Continuous valve fitted on the cylinder, which blocks the speed at the desired point and ensures the steadiness of the board even in the case of breakage of the fluid pipes. The board remains vertical even at a mini basket height (260 cm). The movement of the whole pylon pole is carried out by the 4 wheels, two of which are fixed and the other two are caster wheels, supplied with the fairing of the system, which rises or lowers automatically when the system does likewise. Total foam protection covered with synthetic washable material, thickness 15 cm. Ballast load included along with the command switch. Tempered glass boards, safety, 12 mm, with inferior edge protected with a special foam tubed material. Reclining baskets and netting of heavy cotton. The complete system consists in 2 pylon poles of approx 1050 kg each. The system is supplied as follows: 2 pylon poles; tempered glass boards, 12 mm; reclining baskets, homologated; ballasting included; projection 330 cm. Space required for positioning 425 cm. Equipped with back plates for floor anchoring. Dimensions when the pylon pole is closed: 410x185x170 cm. The system has been approved by the F.I.B.A. for international competitions. Supplied with CE Manual of Use and Maintenance



Basketball Ceiling Mounted (Fixed)

Order No. 100159

The ceiling mounted non-foldable basketball backstop is made from aluminium. The top frame is fixed to the roof structure. The support structure is realized from rectangular hollow profiles measuring 80x60x3 mm. The item is available with three types of backboard. The backboard measures 180x105 cm. There are three types of backboard available: aluminium, acrylic and tempered glass. The aluminium backboard is made from special aluminium profiles. The backboard is white powder coated. The acrylic backboard is made from see through 15 mm thick acrylic. The tempered glass is made from 12 mm thick glass panel. All corners are covered for safety reasons. The basketball single post is also equipped with a non-foldable basketball ring and net. The ring measures an inside diameter of 45 cm. The ring is galvanized and orange powder coated. The net is made from nylon and measures a thickness of 6 mm.



Electric Basketball Ceiling Mounted

The ceiling mounted foldable basketball backstop is made from aluminium. The backstop consists of six parts: the top frame, the lifting arm, the support arm, the backboard, the free fall safety device and the control panel. The top frame includes the motor and all joint to the both arms. The motor powers the rotation of a shaft. On the shaft two belts are fixed. These belts lift and lower the lifting arm. The lifting arm holds the backboard and is hinged to the top frame. It is made from sturdy rectangular 80x60x3 mm aluminium profiles. The support arm enhances the stability in the playing position. In the rest position it folds to allow the backboard to be stored near the top frame. The item is available with three types of backboard. The backboard measures 180x105 cm. There are three types of backboard available: aluminium, acrylic and tempered glass. The aluminium backboard is made from special aluminium profiles. The backboard is white powder coated. The acrylic backboard is made from see through 15 mm thick acrylic. The tempered glass is made from 12 mm thick glass panel. All corners are covered for safety reasons. The basketball ceiling mounted is also equipped with a non-foldable basketball ring and net. The ring measures an inside diameter of 45 cm. The ring is galvanized and orange powder coated. The net is made from nylon and measures a thickness of 6 mm. The free fall safety device ensures that in case of any failure the structure does not fall and gets destroyed. The device is in accordance with EN 360. The control panel is equipped with 3 buttons: Up, down and stop. This allows a comfortable control and handling of the backstop at any time. The backstop automatically stops at its end position.

Order No. 100175 Basketball Ceiling Mounted (folded forward)

Order No. 100176 Basketball Ceiling Mounted (folded backward)



AFN 'Fun Play Mini'

Order No. 100159

Basketball 'Fun Play Mini'

For Indoor, for outdoor, at the court side or at the pool side; you can bring the AFN 'Fun Play Mini' adjustable basketball system anywhere. Whether you are just looking to pass some time or are serious about getting a better shot. This set is a must-have. The AFN 'Fun Play Mini' Hoop system is adjustable from 2.50 to 3.05 m. It is made from aluminium special profiles and it is powder coated. Backboard 90 x 60 cm. The quality backboard is made from clear acrylic. The ring is made from aluminium with an all-weather net. This 'Fun Play Mini' system is reliable and long lasting.

- 100800:** Basketball FUNPLAY Made from aluminium. Backboard 90 x 60 cm, height adjustable
- 100801:** Basketball FUNPLAY Made from aluminium. Backboard 120 x 90 cm, height adjustable
- 100802:** Basketball FUNPLAY Made from aluminium. Backboard 180 x 105 cm, height adjustable
- 100806:** Padding for FUNPLAY

