



Hammer, Discus,  
Shot Put, Javelin



### Competition Aluminium Discus And Hammer Cage 7/10 M


**Order No. 30290**

**Order No. 30290 D (Double Net)**

**Order No. 30290 DS (Dismantle to fit a 20" container)**

Competition aluminium discus and hammer cage 7/10 m

The competition aluminium discus and hammer cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm. The wall thickness rises from four to six mm. In the lower part the 10 m posts are additionally reinforced with a cross bracket. The gate of the cage can be adjusted by one person only. All posts are equipped with a spacer to keep the net in the correct position. The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm. The net can be raised and lowered by devices on each post. One set consists of six 7 m posts, four 10 m posts and two gates with trolley.





### Free Standing Safety Cage For Discus & Hammer Throwing, Continuous 5.5

**Order No. 30040**

Free standing safety cage for discus & hammer throwing, continuous 5.5 metres high incl. net (made in Europe). This safety cage are made from aluminium Profiles (Ø 120 x 100 mm, wall thickness 2.5 mm). Suitable for training purposes and competitions without IAAF status.

### Training Aluminium Discus And Hammer Cage 5.5 M

The training aluminium discus and hammer cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm. The wall thickness measures three mm. The gate of the cage can be adjusted by one person only. The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm. The net can be raised and lowered by devices on each post. One set consists of eight 5.5 m posts and two gates. The item is for training purpose only.



### Hammer Inlay Ring Fibreglass

**Order No. 30140**

The hammer inlay ring is made from white fibreglass. The inlay can fit in the discus ring. The inside diameter of the inlay ring measures 213.5 cm. The ring consists of four pieces. The parts are joined with slot and key.



### Hammer Inlay Ring Wood

**Order No. 30150**

The hammer inlay ring is made from special laminated wood. The wood is framed with an aluminium flat bar. The aluminium is white coated. The ring consists of two parts, which can be folded. The item is certified by the IAAF.



### Competition Discus Cage 4 M

**Order No. 30070**

The competition discus cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm. The wall thickness measures three mm. All posts are equipped with a spacer to keep the net in the correct position. The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm. The net can be raised and lowered by devices on each post. One set consists of seven 4 m posts. The item is certified by the IAAF.

**30070:** 4.3 meters high, Incl. net & sand bags, profiles (Ø 120 x 100 mm, wall thickness 2.5 mm) IAAF certified

**30080:** 4.3 meters high, Incl. net & sand bags, profiles (Ø 120 x 100 mm, wall thickness 4-6 mm) IAAF certified

**30060:** Free standing version





### Shot Put Stop Board Wood

**Order No. 30430**

The shot put stop board is made from multilayer laminated wood. It is designed in the shape of an arc, which aligns with the inner edge of the shot put ring. It can be fixed to the ground with screws easily. It is painted in white colour. The item is certified by the IAAF.



**Order No. 30440**

**Shot Put Stop Board Synthetic**

The shot put stop board is made synthetic material. It is designed in the shape of an arc, which aligns with the inner edge of the shot put ring. It can be fixed to the ground with screws easily. The item is certified by the IAAF. shot put ring. It can be fixed to the ground with screws easily. The item is certified by the IAAF.



### Javelin Stop Board

**Order No. 30460**

The javelin stop board is made from aluminium. It is an 7 cm wide arc. The arc is 4 m wide and measures an inside diameter of 8 m. The stop board is kept in position by spikes on the bottom side. The stop board marks the end of the run way. The item complies with IAAF regulation 187.



### Shot Put Ring

**Order No. 30210**

The shot put ring is made from aluminium. It is a circle with an inside diameter of 213.5 cm. The ring is installed in the ground to mark the area from where the shot is put. It is equipped indicator to mark the surface level on the inside of the ring.



### Shot Put Cover

**Order No. 30340**

The shot put cover is made from special aluminium profiles. th cover is equipped with handles, which allows an easy transport. The cover canopies the ring completely.

### Discus Ring

**Order No. 30220**

The discus ring is made from aluminium. It is a circle with an inside diameter of 250 cm. The ring is installed in the ground to mark the area from where the discus is thrown. It is equipped indicator to mark the surface level on the inside of the ring.





### Standard Ground Socket For Hammer Cage

The standard ground socket is made from aluminium. It is installed in the ground to slot in the hammer cage post. The ground socket matches the hammer cage profile exactly. The socket is available in two lengths.

**Order No. 30090**

Standard ground socket, made from aluminium, For discus and hammer cage 4.m & 5.5 m meter high, Profile 120 x 100 mm.

**Order No. 30100**

Standard ground socket, made from aluminium, For discus and hammer cage 7-10 meter high, Profile 120 x 100 mm.



### Special Ground Socket For Hammer Cage

The special ground socket for hammer cage is made from a special aluminium profile. It is equipped with a special cover, which can be coated on site. It is installed in the ground to slot in the hammer cage post. The ground socket matches the hammer cage profile exactly. The socket is available in two lengths.

**Order No. 30110**

Special ground socket for discus and hammer cage 5.50 m high, Dimension: 120 x 100 x 500 mm, with coatable cover, made from aluminium.

**Order No. 30120**

Special ground socket for discus and hammer cage 7-10 m high, Dimension: 100 x 120 x 800 mm, with coatable cover, made from aluminium

### Hinged Ground Socket

**Order No. 30130**

The hinged ground socket is made from special aluminium profiles. The socket part can be rotated out of the supporting structure. Therefore the post can be slotted into the socket in a horizontal direction. Once the post is inserted, it can be erected easily. It is equipped with a special cover, which can be coated on site.





### Training Steel Shot Put

The training steel shot put is made from steel. It is filled with a special mixture of lead and fine shot. The surface is powder coated. The shot is available in different weights and diameters.

Order No	Weight
20431	1.00 kg
20432	1.50 kg
20433	1.80 kg
20434	2.00 kg
20435	2.27 kg
20436	2.70 kg
20437	2.72 kg
20438	2.72 kg, Diameter: 90 mm
20371	3.00 kg
20372	4.00 kg
20373	5.00 kg
20374	6.00 kg

### Indoor Shot Put

Indoor Shot Put is designed for all skill levels. It is ideal for indoor training. The indoor shot put features a durable elastic PVC shell that completely covers the shot put.

Order No	Weight
30500	1.50 kg
30510	2.00 kg
30520	2.50 kg
30530	3.00 kg
30540	3.50 kg
30550	4.00 kg
30560	4.5 kg
30570	5.00 kg
30580	6.00 kg
30590	7.26 kg

### Competition Steel Shot Put


The competition steel shot put is made from steel. It is filled with a special mixture of lead and fine shot. The surface is completely turned. The surface is powder coated. The shot is available in different weights and diameters. The item is certified by the IAAF.



Order No	Weight
20375	7.26 kg
20380	4.00 kg, Diameter: 95 mm, IAAF Certified
20390	5.00 kg, Diameter: 110 mm, IAAF Certified
20400	6.00 kg, Diameter: 115 mm, IAAF Certified
20410	7.26 kg, Diameter: 113 mm, IAAF Certified
20420	6.00 kg, Diameter: 120 mm, IAAF Certified
20430	7.26 kg, Diameter: 128 mm, IAAF Certified

### Indoor Shot Put Mat

The indoor shot put mat is made from a special foam in a sandwich construction. The construction minimizes the rebound and leaves a visible mark of the impact.





### shot put bag

**Order No. 31860**

The shot put bag is made from a waterproof synthetic material. It can hold one implement only. It is equipped with a sturdy handle and can be closed with a Velcro. The bag is available in different sizes.



### brass shot put

The brass shot put is made from brass. It is filled with a special mixture of lead and fine shot. The surface is completely turned. It is polished and covered in petroleum jelly. The shot is available in different weights and diameters.



Order No	Weight
30660	4.00 kg, Diameter: 100 mm, IAAF certified
30670	5.00 kg, Diameter: 110 mm, IAAF certified
30680	6.00 kg, Diameter: 110 mm, IAAF certified
30690	7.26 kg, Diameter: 115 mm, IAAF certified



### stainless steel shot put

The stainless steel shot put is made from stainless steel. It is filled with a special mixture of lead and fine shot. The surface is completely turned. It is polished and covered in petroleum jelly. The shot is available in different weights and diameters.



Order No	Weight
30910	3.00 kg, Diameter: 105 mm
30920	3.00 kg, Diameter: 110 mm
30930	4.00 kg, Diameter: 95 mm, IAAF Certified
30940	4.00 kg, Diameter: 100 mm, IAAF Certified
30950	4.00 kg, Diameter: 105 mm, IAAF Certified
30960	5.00 kg, Diameter: 105 mm, IAAF Certified
30970	5.00 kg, Diameter: 110 mm, IAAF Certified
30980	5.00 kg, Diameter: 115 mm, IAAF Certified
30990	5.45 kg, Diameter: 105 mm, IAAF Certified
31000	6.00 kg, Diameter: 105 mm, IAAF Certified
31010	6.00 kg, Diameter: 110 mm, IAAF Certified
31020	7.26 kg, Diameter: 115 mm, IAAF Certified



### competition plastic discus

The competition plastic discus is made from corrosion free special alloy with plastic side plates. The side plates are reinforced with fibreglass. The modern construction does not require a traditional centre plate. It is available in different weights. The item is certified by the IAAF.



Order No	Weight
31280	0.75 kg
31290	0.80 kg
31330	1.00 kg, IAAF Certified
31310	1.50 kg, IAAF Certified
31320	1.75 kg, IAAF Certified
31330	2.00 kg, IAAF Certified



### Hard Rubber Discus

The hard rubber discus is made from rubber. It is very durable and resistant to unfavourable conditions. It is designed for serial throwing with a risk of hitting other disci. The discus is available in different weights.

Order No	Weight
31340	0.75 kg
31350	1.00 kg
31370	1.50 kg
31380	1.75 kg
31390	2.00 kg

### Soft Rubber Discus

The soft rubber discus is made from non marking rubber. It is designed for indoor training. The discus is available in different weights.

Order No	Weight
31400	1.00 kg
31410	1.25 kg
31420	1.50 kg
31430	1.75 kg
31440	2.00 kg



### Carbon Discus

The carbon discus is made from a brass rim with steel core with polyester epoxy resins, carbon fibre and fibreglass side plates. The side are very light and thin to increase the rim weight. The modern construction does not require a traditional centre plate. The increased rim weight increases the discus' aerodynamics. It is available in different weights.

Order No	Weight
31450	1.00 kg, IAAF Certified
31460	1.50 kg, IAAF Certified
31470	1.75 kg, IAAF Certified
31480	2.00 kg, IAAF Certified



### Plywood Discus

The plywood discus is made from corrosion free special alloy core with wood and resin side plates. The side plates are pressed under high pressure. The modern construction does not require a traditional centre plate. It is resistant to unfavourable weather conditions. It is available in different weights.

Order No	Weight
31490	1.00 kg
31500	1.50 kg
31510	1.75 kg
31520	2.00 kg



### Discus Bag

**Order No. 31890**

Bag for discus, Size: Up to 1.00 kg.

**Order No. 31900**


Bag for discus, Size: Up to 1.50 kg

**Order No. 31910**


Bag for discus, Size: Up to 2.00 kg

Bags for Discus is made from waterproof synthetic fabricate. Each bag provides space for one discus. The bag can be closed with a Velcro and is easy to carry, because of the sturdy handle


## Javelin



Training Javelin



Competition Javelin



### Competition Javelin

Order No.	Details
35500	FULL CARBON 600g competition javelin IAAF certified
35510	FULL CARBON 800g competition javelin IAAF certified
35520	Air Flyer 400g base model for beginners
35530	Air Flyer 500g base model for beginners IAAF certificate
35540	Air Flyer 600g base model for beginners IAAF certificate
35550	Air Flyer 700g base model for beginners IAAF certificate
35560	Air Flyer 800g base model for beginners IAAF certificate
35570	Sky Challenger 500g model for advanced competitors IAAF certificate
35580	Sky Challenger 600g model for advanced competitors IAAF certificate
35590	Sky Challenger 700g model for advanced competitors IAAF certificate
35600	Sky Challenger 800g model for advanced competitors IAAF certificate
35610	Space Master 600g top competition javelin model IAAF
35620	Space Master 600g top competition javelin model IAAF
35630	Space Master 700g top competition javelin model IAAF
35640	Space Master 800g top competition javelin model IAAF certificate
35650	Space Master 500g, 2013 model, top competition javelin model with cigar head, IAAF certificate
35660	Space Master 600g, 2013 model, top competition javelin model with cigar head, IAAF certificate
35670	Space Master 700g, 2013 model, top competition javelin model with cigar head, IAAF certificate
35680	Space Master 800g, 2013 model, top competition javelin model with cigar head, IAA



### Competition stainless steel hammer

The competition stainless steel hammer is made from stainless steel. It is designed for competition purpose. The whole surface is turned. The hammers are powder coated. The swivel is made from high quality hardened steel.



Order No	Weight
31720	3.00 kg, Diameter 95 mm
31730	4.00 kg, Diameter 95 mm, IAAF certified
31740	5.00 kg, Diameter 100 mm, IAAF certified
31750	5.45 kg, Diameter 105 mm, IAAF certified
31760	5.45 kg, Diameter 110 mm, IAAF certified
31770	6.00 kg, Diameter 110 mm, IAAF certified
31780	7.26 kg, Diameter 110 mm



### Training steel hammer

The training steel hammer is made from steel. It is designed for training purpose. The hammers are powder coated. The swivel is made from high quality hardened steel.

Order No	Weight
32080	1.00 kg
32090	2.00 kg
32100	2.50 kg
32110	2.80 kg
32120	3.00 kg



### Competition steel hammer

The competition steel hammer is made from steel. It is designed for competition purpose. The surface is turned. The hammers are powder coated. The swivel is made from high quality hardened steel.




Order No	Weight
31590	4.00 kg, Diameter 95 mm, IAAF certified
31610	5.00 kg, Diameter 100 mm, IAAF certified
31630	6.00 kg, Diameter 105 mm, IAAF certified
31640	6.00 kg, Diameter 110 mm, IAAF certified
31650	7.26 kg, Diameter 110 mm, IAAF certified



### Hammer glove

#### Order No. 32000

The hammer glove is made from genuine leather. It is available in four different sizes. There are gloves for left-handed and right-handed throwers.



### Hammer handle

#### Order No. 31700 - straight

The hammer handle is made from duraluminium and steel wire. It is powder coated. The light and very durable structure is available in a straight and a curved version.



### Competition brass hammer

The competition brass hammer is made from brass. It is designed for competition purpose. The whole surface is turned and sanded. The swivel is made from high quality hardened steel



Order No	Details
<b>31530</b>	3.00 kg, Diameter: 95 mm
<b>31540</b>	4.00 kg, Diameter: 95 mm, IAAF certified
<b>31550</b>	5.00 kg, Diameter: 100 mm, IAAF certified
<b>31560</b>	5.45 kg, Diameter: 110 mm, IAAF certified
<b>31570</b>	6.00 kg, Diameter: 105 mm, IAAF certified
<b>31580</b>	7.26 kg, Diameter: 110 mm, IAAF certified



### Hammer Wire

#### Order No. 31700

The hammer wire is made from galvanized steel. The diameter of the wire is 3 mm. The wire is available in different lengths from 360 to 1000 mm.



### Hammer bag

#### Order No. 31870

The bag is made from waterproof synthetic fabric. For closing the bag a Velcro is attached. the handle is made from special sturdy material. the bag can be used for shot put and hammer.



### Shot Put Rack

The shot put rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 10 shots

**Order No. 30350**

Shot put rack, made from aluminium, mobile system

**Order No. 30360**

Shot rack, made from aluminium, stationary version



### Discus Rack

The discus rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 14 discuses.

**Order No. 30370**

Discus rack, made from aluminium, mobile system

**Order No. 30380**

Discus rack, made from aluminium, stationary version



### Javelin Rack

The javelin rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 15 javelins.

**Order No. 30390**

Javelin rack, made from aluminium, mobile system

**Order No. 30400**

Javelin rack, made from aluminium, stationary version



### Hammer Rack

The hammer rack is made from aluminium. The sturdy construction is welded together. This rack is free standing. It can be placed anywhere, where needed. It provides space for up to 6 hammers.

**Order No. 30410**

Hammer rack, made from aluminium, mobile system

**Order No. 30420**

Hammer rack, made from aluminium, stationary



**Combo Rack for Discus, Hammer, Shot Put & Javelin**

**Order No. 30425**

The combo rack is made from a special aluminium profile. The rack is equipped with two fixed and two swivelled castors. The diameter of the wheels is 100 mm. The rack provides space for approximately 12 javelin, 14 discus, 8 hammers and 16 shot puts. The item is also available in powder coat finishing.



**Distance Marker Boxes**

The distance marker box is made from fibreglass. It is triangular shaped. The boxes are stackable. It displays the number of the distance.

**Order No. 31810**

Distance marker boxes for shot put. Numbers 12, 14, 16, 18, 20, 22 m (1 Set 12 PCS)


**Order No. 31800**

Distance marker boxes for hammer, discus, and javelins. Numbers 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90 m (1 Set 22 PCS)

**Order No. 31790**

Distance marker boxes for hammer, discus, and javelin and shot put





### Marker

**Order No. 10891**

Field marker set. Set of 10 markers to be put on the ground, made of steel, white powder coated, dark blue visible digits.

**Order No.10892**

Field marker set. Set of 1 markers to be put on the ground, made of steel, white powder coated, dark blue visible digits

**Order No.10889**

Sheet Aluminium Distance Marker, Square, 20 x 18 cm. White powder coated, with numbers on both sides. Numbered 1 – 12

**Order No.10890**

Marker spikes, made from steel. Powder coated. Numbered 1 -12, length: 40 cm



### Disabled Shot Put & Discus circle

The ring is made from aluminium. It is a circle with an inside diameter of 213.5/250 cm. The ring is installed in the ground to mark the area from where the discus is thrown. It is equipped indicator to mark the surface level on the inside of the ring. Additionally the ring is equipped with six ground sockets. This sockets are equipped with bolts and nuts to provide fixing points for wheel chair athletes.

**Order No. 30170**

Disabled accessible shot put circle. Made of aluminium. Diameter 213.5cm, in two parts with additional struts. Incl. bolts, nuts and 6 special socket heads

**Order No. 30180**

disabled accessible discus circle. Made of aluminium. Diameter 250 cm , in two parts with additional struts. Incl. bolts, nuts and 6 special socket heads

**Order No. 30165**

Ground socket special for disable wheelchair. Made from aluminium with coatable cover



### Sector Flag

**Order No. 10880**

Sector Flag 20 x 40 cm. Marks the end of safety area lines. Made from aluminium. Red paint.



### Measuring Stick

**Order No. 11990**

Measuring Tape Fixation Stick, Made from aluminium. Length approx. 80 cm.



### Measuring Sets

**Order No. 35100**

Our AFN SPORTS Measuring Sets test throwing implements in terms of all technical requirements defined by the IAAF. Javelin testing device. Allows you to locate javelin gravity centre, read out length data and position points where to check javelin diameters with the enclosed electronic clipper. Gravity centre testing device. Tested implements stay always under operator's control without risk of falling and causing damages or injuries. Stable steel construction coated with hammer powder paint of high resistance and aesthetics value. Lifting hardened steel sleeve. Steel galvanised lever with comfortable grip. Hammer testing device. Unique device guarantees fair testing for all hammers regardless of operator's strength. The user tightens the hammer wire with two levers. The tightening force is automatically adjusted by the mechanism itself.



### Qualifying Marker

**Order No. 33060**

Qualifying standard marker. Designed for throwing events. Made from aluminium. White powder coated



### Record Marker

**Order No. 33050**

Record marker. Designed for throwing events. Made from aluminium. White powder coated



### Outdoor Mobile Throwing Circles

The outdoor mobile throwing circle is made from aluminium. The circle is 2 m long and 1.5 m wide. The centre line is marked in white colour. The circle is equipped with six adjustable attachment points. The position of the attachment can be locked to assure a firm hold. The item is equipped with a segment of the discus ring and the shot put stop board. Both items can be fixed with screws on the platform individually. The item can be used by wheelchair athletes.



### Mobile Throwing Circles

#### Indoor Mobile Throwing Circle Shot Put Order No. 30159

The indoor mobile throwing circle shot put is made from wood. The circle measure a length and width of 4 m. The ring measures a diameter of 2.135 m. The circle is equipped with six attachment points. The item can be used by wheelchair athletes.

#### Indoor Mobile Throwing Circle Discus Order No. 30158

The indoor mobile throwing circle discus is made from wood. The circle measure a length and width of 4 m. The ring measures a diameter of 2.5 m. The circle is equipped with six attachment points. The item can be used by wheelchair athletes.



### Roll Back Rail

**Order No. 30470**

The roll back rail is made by aluminium. It measures a total length of 20 m. The robust construction is enhanced by the large stands. It fits also standard sized shots. The end of the rail is equipped with rubber stoppers. The rail is also available in powder coat finish.



### Chalk Stand

**Order No. 33080**

The chalk stand is made from aluminium. It is equipped with four castors. The stand measures a total height of 71 cm and provides sufficient storage for chalk. The item is powder coated.

