





Locker Bench "ALUEX" with Back Rest & Clothes Hook

Locker Bench "ALUEX"

Sturdy construction in standard length of 2 m

Shapely design of square anodized aluminium special profile. Shoe rack made of thick-walled aluminium tube. The Seat Laths, Backrests are manufactured from anodized aluminium special profile. Inside are laminated plastic sheets. Available in different colours.

- Double coat hooks made of plastic
- Legs feature floor protecting plastic endings for levelling
- Components are pre-assembled, for easy self-assembly.
- Size: Length 200 cm or customized length up to 270 cm, Seat Depth 33.6 cm, Seating Height 45 cm
- Overall Height (incl. coat rails): 165 cm.

Order No. 130410



For safety reason we recommend to fix the locker bench to the wall!

ABS Plastic Locker





AFN ABS Plastic Lockers, External Dimension \sim H1855 x W310 x D460 mm (High Base) External Dimension \sim H1855 x W310 x D460 mm (High Base) Locks:

AFN XL-Size ABS Plastic Lockers (2-Tier), Compartment Dimension \sim H845 x W270 x D415 mm. Built Up To 2 Compartments Height Per Column Unit.

Order No. 195000

AFN L-Size ABS Plastic Lockers (3-Tier), Compartment Dimension \sim H550 x W270 x D415 mm. Built Up To 3 Compartments Height Per Column Unit.

Order No. 195010

AFN M-Size ABS Plastic Lockers (4-Tier), Compartment Dimension \sim H410 x W270 x D415 mm. Built Up To 4 Compartments Height Per Column Unit.

Order No. 195020

AFN S-Size ABS Plastic Lockers (5-Tier), Compartment Dimension \sim H320 x W270 x D415 mm. Built Up To 5 Compartments Height Per Column Unit.

Order No. 195030







Wall Padding for Indoor (2 m)

The wall and column padding are made from a PE foam with a PVC canvas. Both materials used are fire retardant. The padding usually measures a height of 2.0 m. It is available in four and six cm thickness. The standard panel is 1.0 m wide. On demand, another dimension can be produced. The padding is equipped with fastening straps. They are placed at the top and bottom of the padding. The straps are fixed to the wall with aluminium flat bars. Additionally, the padding is held in position with Velcro, which is fixed on the back side of the padding. The padding is available in assorted colours. Special sizes and openings for corners and electrical or other outlets can be customized in accordance with the requirements of the jobsite.

Order No	Thickness	Dimension (H x W)	Туре	Fire Retardant
240000	6cm	2.00 x 1.00m	Indoor - SQM	No
240010	6cm	2.00 x 1.00m	Indoor - PCS	No
240100	6cm	ON REQUEST	Indoor - PCS	No
240101	4cm	2.00 x 1.00m	Indoor - SQM	No
240102	4cm	2.00 x 1.00m	Indoor - PCS	No
240110	6cm	2.00 x 1.00m	Indoor - SQM	Yes (Standard Indoor)
240120	6cm	2.00 x 1.00m	Indoor - PCS	Yes (Standard)
240121	4cm	2.00 x 1.00m	Indoor - SQM	Yes (Standard Indoor)
240122	4cm	2.00 x 1.00m	Indoor - PCS	Yes (Standard)

^{*}Subject to technical alterations







Aluminium Hinged Wall Bar

The hinged wall bar is made from powder coated aluminium. The wall bar is equipped with easy moving, non-marking rolls. The wall bar can be locked in the 90-degree position in a ground socket. This allows a safe use in the folded position. The item comes including the wall locking device.

Wooden Wall Bar

Timber side walls with round shaped white surface Kasah wood rungs individually screwed, easy moving on non marking rolls.

Come together with chinning bar for chin ups, climbing, hanging and swinging. Extremely rugged, stable and durable particularly for the use in public facilities.

Dimensions: 230cm $\,x\,$ 120cm. (H $\,x\,$ W). Wall bracket included.

Wooden Double Bay Wall Bar

Timber side walls with round shaped Kasah wood rungs individually screwed, easy moving on non marking rolls. Good for duty use in sports halls, therapy rooms, studio and hope use.

Dimensions: 260cm x 200cm (H \times W). Wall bracket included.







Soft Landing Mat

Soft Landing Mat polyether foam core covered with vinyl-coated nylon provides a smooth, crackles surface. Slip-proof, contoured bottom for maximum safety.

Order No. 191000	Soft landing mat 200 x 150 x 25cm
Order No. 191010	Soft landing mat 200 x 150 x 30cm
Order No. 191020	Soft landing mat 300 x 200x 25cm
Order No. 191030	Soft landing mat 300 x 200x 30 cm
Order No. 191040	Soft landing mat 400 x 300 x 30 cm
Order No. 191050	Soft landing mat 400 x 300 x 40 cm





^{*}Subject to technical alterations



Mat Trolley for Soft-Landing Mats

Mat Trolley. To transport and store soft landing mats. The trolley is made in sturdy aluminium construction in aluminium surface. The trolley is equipped with 2 big castors and 2 big fixed castors for heavy load (200 mm Ø) with non-marking wheels. Maximum load capacity approx. 300 kg.

Order no. 191201

Mat Trolley Soft Landing Mat 200 x 100 cm

Order no. 191202

Mat Trolley Soft Landing Mat 300 x 100 cm

Order no. 191203

Mat Trolley Soft Landing Mat 400 x 100 cm

Order no. 191204

Mat Trolley Soft Landing Mat 500 x 100 cm

Order no. 191205

Mat Trolley Soft Landing Mat 600 x 100 cm





Ball Stand

The ball stand is made from a sturdy aluminium structure. It measures a total height of 1.8 m. The extra wide base provides a stable stand. The stopper at the end of each ball holder prevents the ball from rolling of the structure. The stand provides space for up to 6 balls. It can be used for normal balls as well as medicine balls.

Order No. 195200

