





# 3, 4 & 5 Row Benches

Our multi-use aluminium spectator stand is manufactured in the standard version with three levels of seats 3 metres long. There is ample space for up to 18 persons (6 persons per level). The different levels also guarantee a good view of the events taking place. The complete construction of our versatile spectator stand is manufactured from aluminium. The seating area and the steps are made from special aluminium profiles and are additionally anodised and treated to be non-slip. The stand comes in kit form which can be assembled (3 supporting legs, 3 benches, 2 foot rests and the necessary screws and bolts). The robust construction on only that on-site assembly is quick, it also guarantees that the spectator stand is highly durable.

Order No	Material	Rows	Length
130040	Aluminium	3 Rows	3 m
130050	Aluminium	3 Rows	4 m
130060	Aluminium	3 Rows	5 m
130070	Aluminium	4 Rows	3 m
130100	Aluminium	4 Rows	4 m
130110	Aluminium	4 Rows	5 m
130120	Aluminium	4 Rows	6 m
130130	Aluminium	5 Rows	3 m
130140	Aluminium	5 Rows	4 m
130150	Aluminium	5 Rows	5 m
130160	Aluminium	5 Rows	6 m
130040	Aluminium	3 Rows	3 m
130050	Aluminium	3 Rows	4 m
130060	Aluminium	3 Rows	5 m





#### Order No. 130035

Transport wheel for Bleacher, Made from Nylon Diameter 200 mm.



\*Subject to technical alterations

13.2





# Aluminium Bleacher Model "WALK ON" with Staircase

Our Aluminium Bleacher with Staircase attached is made completely of heavy-duty aluminium. The seating benches and steps are constructed from high quality aluminium profiles and are specially anodised (non -discolouring). They are also treated in order to be non-slip. The staircase os 50 cm long. Long lasting nylon end caps are incorporated. For the export version, we deliver the benches in parts to be self-assembled. All necessary stainless-steel screws and bolts needed for construction are provided. There is an 8-year warranty. Before ordering 4 or 5 row units, you should check with your local authority that they conform with all safety requirements.

# The length of bleacher available from 3 m to 6 m or length on request. The bleacher rows available in 3 rows, 4 rows and 5 rows.





# Aluminium Bleacher Model "WALK ON" with Staircase (Outside) and Seat

Our multi-use aluminium spectator stand is manufactured in the standard version of 5 seats per row and 3 metres long. There is ample space for up to 20 persons for our 4 row bench (5 persons per level). The different levels also guarantee a good view of the events taking place. The complete construction of our versatile spectator stand is manufactured from aluminium. The seating area is supplied with low back rest plastic seat and the steps are made from special aluminium profiles and are additionally anodised and treated to be non-slip. The stand comes in kit form which can be assembled. The robust construction means not only that on-site assembly is quick, it also guarantees that the spectator stand is highly durable.

Order No	Material	Rows	Length
138000	Aluminium	3 Rows	3 m
138010	Aluminium	3 Rows	4 m
138020	Aluminium	3 Rows	5 m
138030	Aluminium	3 Rows	6 m
138040	Aluminium	4 Rows	3 m
138050	Aluminium	4 Rows	4 m
138060	Aluminium	4 Rows	5 m
138070	Aluminium	4 Rows	6 m
138080	Aluminium	5 Rows	3 m
138090	Aluminium	5 Rows	4 m
138100	Aluminium	5 Rows	5 m
138110	Aluminium	5 Rows	6 m

\* Order No.138000 Transport wheel for Bleacher, Made from Nylon Diameter 200 mm.

Other dimensions on request.

#### Aluminium Bleacher Model "WALK ON" with Staircase (Inside) and Seat



The five row bench 'Vindico II' with plastic seats and staircase is made of aluminium structure and plastic seats. The bench provides five rows of seating and has a total capacity of 31 seats. The bench measures a length of 3.1 m. The seats are made of UV protected plastic. The stairs are made from a special aluminium profile. The profiles are anodized and have an anti-slip surface. The system is dismantling and can be easily assembled at any site. **Order No. 139000** 

Transport wheel for Bleacher. Made from Nylon Diameter 200 mm. Order No.130035

Other dimensions on request



# Bleacher MOBILE TOP

Our "MOBILE TOP" bleacher can be used unlimited - in- and outdoors for every kind of activity. Within a short time 50 seats become available! By simple add-on of the sets the seat capacity can be increased. Another advantage is the little storage room. Due to a special moving system the single bleacher parts can be put into each other, so the whole system only requires a storage area of approx. 4 m x 2 m. The seats and walkways are made from special aluminium profiles and are additionally anodised and treated to be non-slip. One complete set consists of 5 blocks of different lengths (one of which is a staircase). Total length 8.75 m. Depth 1.85 m. Height 0.85 m.

#### Order No. 130250







# 3 Row Bench "FLIP UP"

The 3 row bench 'flip up' is made from special aluminium profiles. The profiles have a special anti-slip surface. The bench is fast and easy to set up and provides space for up to 20 people. It is moveable and easy to stored in the folded position. The structure is weatherproof and therefore can be used indoors as well as outdoors. The bench weighs around 110. kg

Order No. 139600





# **Grand Stand**

Our spectator stand is manufactured in the standard version with five levels of seats 3.4 metres long and 2.70 metres width. There is ample space for up to 30 persons (6 persons per level). The different levels also guarantee a good view of the events taking place. The complete construction of our versatile spectator stand is manufactured from aluminium. The seating area and the steps are made from special aluminium profiles and are additionally treated to be non-slip. The plastic seat is without backrest.

The stand comes in kit form which can be easy assembled. The robust construction means not only that on-site assembly is quick; it also guarantees that the spectator stand is highly durable.

Standard dimensions of the stands: length: 2.70 m x 3.4 m  $\,$ 

Grand stand with stairs, without roof top including seat for 25 people, made of aluminium, 2.70 x 4 m  $\ensuremath{\text{Order No. 130000}}$ 

Grand stand with stairs, with roof top including seat for 25 people, made of aluminium, 2.70 x 4 m  $\ensuremath{\text{Order No. 130010}}$ 

Grand stand without stairs, without roof top including seat for 30 people, made of aluminium, 2.70 x 4 m  $\ensuremath{\text{Order No. 130020}}$ 

Grand stand with stairs, with roof top including seat for 25 people, made of aluminium, 2.70 x 4 m Order No. 130030

## Locker Bench "ALUEX"



Sturdy aluminium construction in standard length of 2m. Shapely design of square powder coated aluminium special profile. Shoe rack) made of thick-walled aluminium tube. The Seat Laths, Backrests are manufactured from powder coated aluminium special profile. Available in different colours.

#### Order No. 130410

- Double coat hooks
- Legs feature floor protecting plastic endings for levelling
- Size: Length 200 cm or customized length up to 270 cm,
- Seat Depth 33.6 cm,
- Seating Height 45 cm, Overall Height (incl. coat rails): 165 cm.

For safety reason we recommend to fix the locker bench to the wall!

Available in different colours.



# Swedish Bench (ALULINE)

The Swedish bench is fully made from special aluminium profiles. The seat bench is anodized. The width of the bench is 30 cm. The height of the bench is 30 cm. The bench is available in various lengths.

Order No. 130180	Length 3.00 m
Order No. 130190	Length 4.00 m
Order No. 130170	Length 5.00 m
Order No. 130200	Length 6.00 m



## **Aluminium Bench (PARIS)**

The locker bench is made from special aluminium profiles. All profiles are designed with rounded edges. The seating profile measures an extra-large width of 300 mm. It measures a height of 45 cm. The bench is welded in one piece. It is also equipped with a shoe tray. The item is powder coated. There are assorted colours to choose from. The bench is available in different lengths:

Order No. 130500	Length 2.00 m
Order No. 130510	Length 3.00 m
Order No. 130520	Length 4.00 m
Order No. 130530	Length 5.00 m
Order No. 130540	Length 6.00 m
Order No. 130550	Length on request

