





Hammer, Discus,
Shot Put, Javelin



Competition Aluminium Discus And Hammer Cage 7/10 M

The competition aluminium discus and hammer cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm. The wall thickness rises from four to six mm. In the lower part the 10 m posts are additionally reinforced with a cross bracket. The gate of the cage can be adjusted by one person only. All posts are equipped with a spacer to keep the net in the correct position. The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm. The net can be raised and lowered by devices on each post. One set consists of six 7 m posts, four 10 m posts and two gates with trolley.

Order No. 30290

Order No. 30290 D (Double Net)

Order No. 30290 DS (Dismantle to fit a 20" container)





Competition Aluminium Discus And Hammer Cage 7/10 M With Double Net



Trolley



Handle



Insert Profile For 10m Post



Spacer



Discus & Hammer Safety Cage 5.5 m High

Order No. 30020

The training aluminium discus and hammer cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm.

The wall thickness is 2.5 mm. The gate of the cage can be adjusted by one person only. All posts are equipped with a spacer to keep the net in the correct position.

The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm.

The net can be raised and lowered by devices on each post. One set consists of eight 5.5 m posts and two gates.



Free Standing Safety Cage For Discus & Hammer Throwing, Continuous 5.5

Order No. 30040

The free standing aluminium discus and hammer cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm. The wall thickness is 2.5 mm. The gate of the cage can be adjusted by one person only. All posts are equipped with a spacer to keep the net in the correct position. The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm. The net can be raised and lowered by devices on each post. One set consists of eight 5.5 m posts and two gates. For this cage no ground sockets or other floor preparation is necessary.



Competition Discus Cage 4 M

Order No. 30070

The competition discus cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm. The wall thickness measures three mm. All posts are equipped with a spacer to keep the net in the correct position. The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm. The net can be raised and lowered by devices on each post. One set consists of seven 4 m posts. The item is certified by the IAAF.

30070: 4.3 meters high, Incl. net & sand bags, profiles (Ø 120 x 100 mm, wall thickness 2.5 mm) IAAF certified

30080: 4.3 meters high, Incl. net & sand bags, profiles (Ø 120 x 100 mm, wall thickness 4-6 mm) IAAF certified

30060: Free standing version



Free standing



Ground Socket Standards for Discus and Hammer Cage

The standard ground socket is made from aluminium. It fits the discus and hammer cage posts exactly. It is available in two lengths: 500 mm (for discus cage and training hammer cage) and 800 mm (competition hammer cage)

Order No. 30090 500 mm
Order No. 30100 800 mm



Special Ground Socket For Hammer Cage

The special ground socket for hammer cage is made from a special aluminium profile. It is equipped with a special cover, which can be coated on site. It is installed in the ground to slot in the hammer cage post. The ground socket matches the hammer cage profile exactly. The socket is available in two lengths.


Order No. 30110 500 mm
Order No. 30120 800 mm



Hinged Ground Socket

Order No. 30130

Our hinged aluminium ground socket is fitted with a to and fro swivel element which allows the hammer cage post to be set up quickly and easily. With lid chamber and attached lid which can be covered on site to suit with running track surfaces.



Mobile Throwing Circles

Indoor Mobile Throwing Circle Shot Put

Order No. 30159

The indoor mobile throwing circle shot put is made from wood. The circle measure a length and width of 4 m. The ring measures a diameter of 2.135 m. The circle is equipped with six attachment points. The item can be used by wheelchair athletes.

Indoor Mobile Throwing Circle Discus

Order No. 30158

The indoor mobile throwing circle discus is made from wood. The circle measure a length and width of 4 m. The ring measures a diameter of 2.5 m. The circle is equipped with six attachment points. The item can be used by wheelchair athletes.



Shot Put Stop Board

Order No. 30430

Shot Put Stop Board Wood

The shot put stop board is made from multilayer laminated wood. It is designed in the shape of an arc, which aligns with the inner edge of the shot put ring. It can be fixed to the ground with screws easily. It is painted in white colour. The item is certified by the IAAF.



Order No. 30440

Shot Put Stop Board Synthetic

The shot put stop board is made synthetic material. It is designed in the shape of an arc, which aligns with the inner edge of the shot put ring. It can be fixed to the ground with screws easily. The item is certified by the IAAF. It can be fixed to the ground with screws easily. The item is certified by the IAAF.



Javelin Stop Board

Order No. 30460

The javelin stop board is made from aluminium. It is an 7 cm wide arc. The arc is 4 m wide and measures an inside diameter of 8 m. The stop board is kept in position by spikes on the bottom side. The stop board marks the end of the run way. The item complies with IAAF regulation 187.



Outdoor Mobile Throwing Circles

The outdoor mobile throwing circle is made from aluminium. The circle is 2 m long and 1.5 m wide. The centre line is marked in white colour. The circle is equipped with six adjustable attachment points. The position of the attachment can be locked to assure a firm hold. The item is equipped with a segment of the discus ring and the shot put stop board. Both items can be fixed with screws on the platform individually. The item can be used by wheelchair athletes.





Disabled Shot Put & Discus Circle

Disabled accessible shot put & discus ring. Made from aluminium profile. The throwing circle is rolled precisely with a diameter of 2.135 m for shot put and 2.50 m for discus. Additional struts guarantee this two-section circle's stability and strength. Included centre point and marking for levelling of the concrete surface inside. Incl. bolts, nuts and 6 special ground sockets. IAAF certified



Order No. 30170

The Shot Put Ring is rolled precisely with a diameter of 2.135 m. Additional struts guarantee this two-section circle's stability and strength. Included centre point and marking for levelling of the concrete surface inside. Additionally, this item is equipped with six sockets. These sockets allow wheelchair athletes to be strapped down. The item is certified by the IAAF.



Order No. 30180

The Discus Ring is rolled precisely with a diameter of 2.50 m. Additional struts guarantee this two-section circle's stability and strength. Included centre point and marking for levelling of the concrete surface inside. Additionally, this item is equipped with six sockets. These sockets allow wheelchair athletes to be strapped down. The item is certified by the IAAF.



Order No. 30165

The socket is designed to provide space to for straps to fix wheelchairs to the ground.



Anchor Bars For Handicapped Accessible Throwing Disciplines

Order No. 33000

The anchor bars for handicapped athletes is made from aluminium. It is used for the throwing disciplines. The anchor bar allows the athlete to be strapped into position. The bar measures a cross section of 120x100x2.5 mm. It is three meters long and is equipped with two fixing hooks and four sliding fastening points.



Discus & Shot Put Ring Dismantle Version

This ring built for space saving purpose.


Order No. 30210/DS

The Shot Put Ring is rolled precisely with a diameter of 2.135 m. This version can be dismantled to reduce freight charges as well as protecting the product from taking damage. The item is certified by the IAAF.



Order No. 30220/DS

The Discus Ring is rolled precisely with a diameter of 2.50 m. This version can be dismantled to reduce freight charges as well as protecting the product from taking damage. The item is certified by the IAAF.



Shot Put Ring

Order No. 30210

The Shot Put Ring is rolled precisely with a diameter of 2.135 m. Additional struts guarantee this two-section circle's stability and strength. Included centre point and marking for levelling of the concrete surface inside. The item is certified by the IAAF.




Discus Ring

Order No. 30220

The Discus Ring is rolled precisely with a diameter of 2.50 m. Additional struts guarantee this two-section circle's stability and strength. Included centre point and marking for levelling of the concrete surface inside. The item is certified by the IAAF.





Hammer Inlay Ring Fibre glass

Order No. 30140

The hammer inlay ring is made from fiberglass. The inlay ring reduces the diameter of the ring from the discus event for the hammer event. The ring consists of four elements. The item is certified by the IAAF.



Hammer Inlay Ring Wood

Order No. 30150

This two-section hammer throwing circle reduces the diameter (of a discus circle) to 2.135 m and is made from weatherproof multiplex laminate. The edges of the circle are protected by special aluminium profiles. The hinges between the two sections of the circle are made from stainless steel. The item is certified by the IAAF.



Shot Put Cover

Order No. 30340

The cover for discus and shot put ring is made from special aluminium profiles. The profiles are joint by tongue and groove. The cover is equipped with handle to move it easily. It covers the shot put ring, or discus ring as well as the shot put stop board.



Distance Marker Boxes

The distance marker box is made from fibreglass. It is triangular shaped. The boxes are stackable. It displays the number of the distance.

Order No. 31810

The set for shot put consists of 12 pieces: 12, 14, 16, 18, 20 and 22 m

Order No. 31800

The set for hammer, discus and javelin consists of 22 pieces: 40, 45, 50, 55, 60, 65, 70, 75, 80, 85 and 90 m

Order No. 31790

It is one unit of marker. The number for this marker can be chosen.





Marker

Order No. 10889

Sheet Aluminium Distance Marker, Square,. White powder coated, with numbers. Numbered 1 – 12

Order No.10890

Marker spikes, made from steel. Powder coated. Numbered 1 -12, length: 40 cm



Qualifying Marker

Order No. 33060


The qualifying marker is made from aluminium. It is designed for the throwing events and indicates, which distance is necessary to qualify. The item is white powder coated.

Record Marker

Order No. 33050

The record marker is made from aluminium. It is designed for the throwing events and indicates, which distance is necessary to break the record. The item is white powder coated.

Competition Javelin



Order No.	Details
35500	FULL CARBON 600g competition javelin IAAF certified
35510	FULL CARBON 800g competition javelin IAAF certified
35520	Air Flyer 400g base model for beginners
35530	Air Flyer 500g base model for beginners IAAF certificate
35540	Air Flyer 600g base model for beginners IAAF certificate
35550	Air Flyer 700g base model for beginners IAAF certificate
35560	Air Flyer 800g base model for beginners IAAF certificate
35570	Sky Challenger 500g model for advanced competitors IAAF certificate
35580	Sky Challenger 600g model for advanced competitors IAAF certificate
35590	Sky Challenger 700g model for advanced competitors IAAF certificate
35600	Sky Challenger 800g model for advanced competitors IAAF certificate
35610	Space Master 600g top competition javelin model IAAF
35620	Space Master 600g top competition javelin model IAAF
35630	Space Master 700g top competition javelin model IAAF
35640	Space Master 800g top competition javelin model IAAF certificate
35650	Space Master 500g, 2013 model, top competition javelin model with cigar head, IAAF certificate
35660	Space Master 600g, 2013 model, top competition javelin model with cigar head, IAAF certificate
35670	Space Master 700g, 2013 model, top competition javelin model with cigar head, IAAF certificate
35680	Space Master 800g, 2013 model, top competition javelin model with cigar head, IAA



Competition Stainless Steel Hammer

The competition stainless steel hammer is made from stainless steel. It is designed for competition purpose. The whole surface is turned. The hammers are powder coated. The swivel is made from high quality hardened steel.



Order No	Weight
31720	3.00 kg, Diameter 95 mm
31730	4.00 kg, Diameter 95 mm, IAAF certified
31740	5.00 kg, Diameter 100 mm, IAAF certified
31750	5.45 kg, Diameter 105 mm, IAAF certified
31760	5.45 kg, Diameter 110 mm, IAAF certified
31770	6.00 kg, Diameter 110 mm, IAAF certified
31780	7.26 kg, Diameter 110 mm



Training Steel Hammer

The training steel hammer is made from steel. It is designed for training purpose. The hammers are powder coated. The swivel is made from high quality hardened steel.

Order No	Weight
32080	1.00 kg
32090	2.00 kg
32100	2.50 kg
32110	2.80 kg
32120	3.00 kg

Competition Steel Hammer

The competition steel hammer is made from steel. It is designed for competition purpose. The surface is turned. The hammers are powdercoated. The swivel is made from high quality hardened steel.



Order No	Weight
31590	4.00 kg, Diameter 95 mm, IAAF certified
31610	5.00 kg, Diameter 100 mm, IAAF certified
31630	6.00 kg, Diameter 105 mm, IAAF certified
31640	6.00 kg, Diameter 110 mm, IAAF certified
31650	7.26 kg, Diameter 110 mm, IAAF certified



Hammer Handle

Order No. 31690

The hammer handle with curved grip is made from hardened aluminium and steel wire. The wire measures a diameter of 3 mm. The item is powder coated and measures a width of 115 mm. It is very light and durable. It can withstand a tensile strength up to 8 KN. The item is certified by the IAAF.

Order No. 31680

The hammer handle with straight grip is made from hardened aluminium and steel wire. The wire measures a diameter of 3 mm. The item is powder coated and measures a width of 115 mm. It is very light and durable. It can withstand a tensile strength up to 8 KN. The item is certified by the IAAF.





Hammer Glove

Order No. 32000

The hammer glove is made from genuine leather. It is available in four different sizes. There are gloves for left-handed and right-handed throwers.




Competition Brass Hammer

The competition brass hammer is made from brass. It is designed for competition purpose. The whole surface is turned and sanded. The swivel is made from high quality hardened steel.



Order No	Details
31530	3.00 kg, Diameter: 95 mm
31540	4.00 kg, Diameter: 95 mm, IAAF certified
31550	5.00 kg, Diameter: 100 mm, IAAF certified
31560	5.45 kg, Diameter: 110 mm, IAAF certified
31570	6.00 kg, Diameter: 105 mm, IAAF certified
31580	7.26 kg, Diameter: 110 mm, IAAF certified



Hammer Wire

Order No. 31700

The hammer wire is made from galvanized steel. The diameter of the wire is 3 mm. The wire is available in different lengths from 360 to 1000 mm.



Hammer Bag

Order No. 31870


The bag is made from waterproof synthetic fabric. For closing the bag, a Velcro is attached. The handle is made from special sturdy material. The bag can be used for shot put and hammer.



Training Steel Shot Put

The training steel shot put is made from steel. It is filled with a special mixture of lead and fine shot. The surface is powder coated. The shot is available in different weights and diameters.

Order No	Weight
20431	1.00 kg
20432	1.50 kg
20433	1.80 kg
20434	2.00 kg
20435	2.27 kg
20436	2.70 kg
20437	2.72 kg
20438	2.72 kg, Diameter: 90 mm
20371	3.00 kg
20372	4.00 kg
20373	5.00 kg
20374	6.00 kg



Indoor Shot Put

Indoor Shot Put is designed for all skill levels. It is ideal for indoor training. The indoor shot put features a durable elastic PVC shell that completely covers the shot put.

Order No	Weight
30500	1.50 kg
30510	2.00 kg
30520	2.50 kg
30530	3.00 kg
30540	3.50 kg
30550	4.00 kg
30560	4.5 kg
30570	5.00 kg
30580	6.00 kg
30590	7.26 kg


Competition Steel Shot Put

The competition steel shot put is made from steel. It is filled with a special mixture of lead and fine shot. The surface is completely turned. The surface is powder coated. The shot is available in different weights and diameters. The item is certified by the IAAF.



Indoor Shot Put Mat

The indoor shot put mat is made from a special foam in a sandwich construction. The construction minimizes the rebound and leaves a visible mark of the impact.



Order No	Weight
20375	7.26 kg
20380	4.00 kg, Diameter: 95 mm, IAAF Certified
20390	5.00 kg, Diameter: 110 mm, IAAF Certified
20400	6.00 kg, Diameter: 115 mm, IAAF Certified
20410	7.26 kg, Diameter: 113 mm, IAAF Certified
20420	6.00 kg, Diameter: 120 mm, IAAF Certified
20430	7.26 kg, Diameter: 128 mm, IAAF Certified



Shot Put Bag

Order No. 31860

The shot put bag is made from a waterproof synthetic material. It can hold one implement only. It is equipped with a sturdy handle and can be closed with a Velcro. The bag is available in different sizes.



Brass Shot Put

The brass shot put is made from brass. It is filled with a special mixture of lead and fine shot. The surface is completely turned. It is polished and covered in petroleum jelly. The shot is available in different weights and diameters.



Order No	Weight
30660	4.00 kg, Diameter: 100 mm, IAAF certified
30670	5.00 kg, Diameter: 110 mm, IAAF certified
30680	6.00 kg, Diameter: 110 mm, IAAF certified
30690	7.26 kg, Diameter: 115 mm, IAAF certified



Stainless Steel Shot Put

The stainless steel shot put is made from stainless steel. It is filled with a special mixture of lead and fine shot. The surface is completely turned. It is polished and covered in petroleum jelly. The shot is available in different weights and diameters.



Order No	Weight
30910	3.00 kg, Diameter: 105 mm
30920	3.00 kg, Diameter: 110 mm
30930	4.00 kg, Diameter: 95 mm, IAAF Certified
30940	4.00 kg, Diameter: 100 mm, IAAF Certified
30950	4.00 kg, Diameter: 105 mm, IAAF Certified
30960	5.00 kg, Diameter: 105 mm, IAAF Certified
30970	5.00 kg, Diameter: 110 mm, IAAF Certified
30980	5.00 kg, Diameter: 115 mm, IAAF Certified
30990	5.45 kg, Diameter: 105 mm, IAAF Certified
31000	6.00 kg, Diameter: 105 mm, IAAF Certified
31010	6.00 kg, Diameter: 110 mm, IAAF Certified
31020	7.26 kg, Diameter: 115 mm, IAAF Certified



Discus Bag

Order No. 31890

Bag for discus, Size: Up to 1.00 kg.

Order No. 31900

Bag for discus, Size: Up to 1.50 kg

Order No. 31910

Bag for discus, Size: Up to 2.00 kg

Bags for Discus is made from waterproof synthetic fabricate. Each bag provides space for one discus. The bag can be closed with a Velcro and is easy to carry, because of the sturdy handle



Hard Rubber Discus

The hard rubber discus is made from rubber. It is very durable and resistant to unfavourable conditions. It is designed for serial throwing with a risk of hitting other disci. The discus is available in different weights.

Order No	Weight
31340	0.75 kg
31350	1.00 kg
31370	1.50 kg
31380	1.75 kg
31390	2.00 kg

Soft Rubber Discus

The soft rubber discus is made from non marking rubber. It is designed for indoor training. The discus is available in different weights.

Order No	Weight
31400	1.00 kg
31410	1.25 kg
31420	1.50 kg
31430	1.75 kg
31440	2.00 kg




Competition Plastic Discus

The competition plastic discus is made from corrosion free special alloy with plastic side plates. The side plates are reinforced with fibreglass. The modern construction does not require a traditional centre plate. It is available in different weights. The item is certified by the IAAF.



Order No	Weight
31280	0.75 kg
31290	0.80 kg
31330	1.00 kg, IAAF Certified
31310	1.50 kg, IAAF Certified
31320	1.75 kg, IAAF Certified
31330	2.00 kg, IAAF Certified



Shot and Hammer Gauges

Order No. 37000

The shot and hammer gauges are made from aluminium. Each gauge provides the minimum and maximum measurements for the respective weight. One set consists of six gauges (2.0, 3.0, 4.0, 5.0, 6.0 and 7.26 kg).



Combo Rack For Discus, Hammer, Shot Put & Javelin

Order No. 30425

The combo rack is made from a special aluminium profile. The rack is equipped with two fixed and two swivelled castors. The diameter of the wheels is 100 mm. The rack provides space for approximately 12 javelin, 14 discus, 8 hammers and 16 shot puts. The item is also available in powder coat finishing.



Shot Put Rack

The shot put rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 10 shots

Order No. 30350

Mobile version

Order No. 30360

Stationary version



Discus Rack

The discus rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 14 discuses.

Order No. 30370

Mobile version

Order No. 30380

Stationary version



Javelin Rack

The javelin rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 15 javelins.

Order No. 30390

Mobile system

Order No. 30400

Stationary version



Hammer Rack

The hammerrack is made from aluminium. The sturdy construction is welded together. This rack is free standing. It can be placed anywhere, where needed. It provides space for up to 6 hammers.

Order No. 30410

Mobile system

Order No. 30420


Stationary version



Measuring Sets

Order No. 35100

Our AFN SPORTS Measuring Sets test throwing implements in terms of all technical requirements defined by the IAAF. Javelin testing device. Allows you to locate javelin gravity centre, read out length data and position points where to check javelin diameters with the enclosed electronic clipper. Gravity centre testing device. Tested implements stay always under operator's control without risk of falling and causing damages or injuries. Stable steel construction coated with hammer powder paint of high resistance and aesthetics value. Lifting hardened steel sleeve. Steel galvanised lever with comfortable grip. Hammer testing device. Unique device guarantees fair testing for all hammers regardless of operator's strength. The user tightens the hammer wire with two levers. The tightening force is automatically adjusted by the mechanism itself.



Hammer Measuring Device

Order No. 35110

The hammer measuring device is made from aluminium. The device is able to check the length of the wire as well as the centre of gravity.



Roll Back Rail

Order No. 30470

The roll back rail is made by aluminium. It measures a total length of 20 m. The robust construction is enhanced by the large stands. It fits also standard sized shots. The end of the rail is equipped with rubber stoppers. The rail is also available in powder coat finish.



Chalk Stand

Order No. 33080

The chalk stand is made from aluminium. It is equipped with four castors. The stand measures a total height of 71 cm and provides sufficient storage for chalk. The item is powder coated.



Sector Flag

Order No. 10880

The sector flag is made from aluminium. It marks the end of the safety are lines. The flag measures 20x40 cm and it is red coated.



Measuring Stick

Order No. 11990

The measuring stick is made from aluminium. It measures a length of approx. 80 cm. It is used to measure the length achieved.